

SHORT COMMUNICATION

M. Yu. Proshchalykin. The bees of the family Melittidae (Hymenoptera, Apoidea) of Transbaikalia. – Far Eastern Entomologist. 2008. N 191: 8-9.

М. Ю. Прошалыкин. Пчелы семейства Melittidae (Hymenoptera, Apoidea) Забайкалья // Дальневосточный энтомолог. 2008. N 191. С. 8-9.

The melittid fauna of the world numbers 154 species in 14 genera. The family is rather small, greatest diversity is in the warm xeric areas [1]. Most species are oligolectic or at least have strong floral preferences, and some, *Macropis* and *Rediviva*, collect oils (to mix with pollen) [1]. There are nine species in three genera in the Russian Far East [2].

The family Melittidae was unknown in Transbaikalia. During an examination the material of the bees deposited in the collections of the Institute of Biology and Soil Sciences, Russian Academy of Sciences (Vladivostok) and Zoological Institute, Russian Academy of Sciences (St. Petersburg), four species in three genera were found and identified. All of them are newly recorded from this region. All distributed in Transbaikalia species are found in the Russian Far East. The distribution of melittids follows M. Proshchalykin [2].

The present investigation has been supported in part by the grants of the Far Eastern Branch of Russian Academy of Sciences No 06-III-B-195, No 06-III-A-06-138, No 06-III-A-06-147 and by the grant of the RFBR No 06-04-81008.

LIST OF THE SPECIES

***Macropis (Macropis) dimidiata amurensis* Popov, 1958**

MATERIAL. Russia: Buryatiya, Torei, 15.VII 1961, 1♂; Temnik river, 17.VII 1961, 2♀; Zabaikalskii krai, Tsasuchei, 16.VII 1990, 2♀, 2♂ (Romankova).

DISTRIBUTION. Russia: Buryatiya (new record), Zabaikalskii krai (former Chitinskaya oblast) (new record), Primorskii krai, Khabarovskii krai, Amurskaya oblast.

***Dasygoda altercator* (Harris, 1780)**

MATERIAL. Russia: Buryatiya, Ivolginskii datsan, 24.VII 1990, 3♂ (Romankova); Ulan-Ude, 26.VII 1990, 2♀, 1♂ (Romankova); Kalenovo, 28.VII 1990, 1♀ (Romankov); Gusinoe lake, Baraty, 26.VII 2007, 10♀, 20♂ (Lelej, Proshchalykin, Loktionov); Dzhida, 28.VII 2007, 2♀, 2♂ (Lelej, Proshchalykin, Loktionov); Naushki, Selenga river, 30.VII 2007, 11♀, 7♂ (Lelej, Proshchalykin, Loktionov).

DISTRIBUTION. Russia: Buryatiya (new record), Primorskii krai, Siberia, European part. – Mongolia, Central Asia, Caucasus, Europe, North Africa.

***Dasygoda japonica* Cockerell, 1911**

MATERIAL. Russia: Zabaikalskii krai, 20 km SSE Krasnokamenska, 3–5.VIII 2007, 11♂ (Lelej, Proshchalykin, Loktionov).

DISTRIBUTION. Russia: Zabaikalskii krai (new record), Primorskii krai, Khabarovskii krai. – Japan (Honshu, Kyushu), Korea, North-East China.

***Melitta tricincta* Kirby, 1802**

MATERIAL. Russia: Buryatiya, Peschanka, Troitskosavsk (=Kyakhta), 15.VIII–1.IX 1927, 7♂ (Mikhno); Ust-Kiran, Kiran river, 10.VII 1929, 1♂ (Mikhno); Ivolginskii datsan, 17.VI 1991, 2♂ (Romankova); Gusinoe lake, Baraty, 26.VII 2007, 1♀, 106♂ (Lelej, Proshchalykin, Loktionov); Dzhida, 28.VII 2007, 5♂ (Lelej, Proshchalykin, Loktionov); Naushki, Selenga river, 30.VII 2007, 1♂ (Lelej, Proshchalykin, Loktionov); Zabaikalskii krai, 20 km SSE Krasnokamensk, 3-5.VIII 2007, 18♂ (Lelej, Proshchalykin, Loktionov).

DISTRIBUTION. Russia: Buryatiya (new record), Zabaikalskii krai (new record), Khabarovskii krai, Yakutiya, European part. – Europe.

1. Michener, Ch.D. 2007. The Bees of the World. Baltimore, London: John Hopkins University Press. Second edition. 953 p.

2. Proshchalykin, M.Yu. 2007. Family Melittidae. – In: Lelej, A.S., Belokobylskij, S.A., Kasparyan, D.R., Kupianskaya, A.N. & Proshchalykin, M.Yu. (Eds). *Opredelitel' nasekomyh Dal'nego Vostoka Rossii* [Key to the insects of Russian Far East]. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt. 5. Vladivostok: Dal'nauka. P. 886-889. (In Russian).

Author's address:

Institute of Biology and Soil Science, FEB
RAS, Vladivostok-22, 690022, Russia

FAR EASTERN ENTOMOLOGIST
2008

CONTENTS

	N of issue	Pages	Date of issue
Yu. A. Tshistjakov. Far Eastern species of the genus <i>Achlya</i> Billberg, 1820 (Lepodoptera, Drepanidae: Thyatirinae) with notes on their synonymy	180	1-10	Jan.
V. G. Bezborodov, S. A. Shabalin and E. S. Koshkin. Distribution of <i>Anthracophora rusticola</i> Burmeister, 1842 (Coleoptera: Scarabaeidae, Cetoniinae) in Russia	180	11-12	Jan.
I. Trisnawati and K. Nakamura. Abundance, diversity and distribution of above-ground arthropods collected by window traps from satoyama in Kanazawa, Japan: an order level analysis	181	1-23	Feb.
Dahelmi, S. Salmah, I. Abbas, N. Fitriana, S. Nakano and K. Nakamura. Duration of immature stages of eleven swallowtail butterflies (Lepidoptera: Papilionidae) in West Sumatra, Indonesia	182	1-9	Mar.
A. L. Ozerov and M. Iwasa. A new species of the genus <i>Toxopoda</i> Macquart, 1851 (Diptera: Sepsidae) from India	182	10-11	Mar.
M. G. Krivosheina. A new genus and two new species of the shore-flies (Diptera: Ephydriidae) from Thailand	183	1-8	Mar.
A. L. Ozerov. Two new species of the genus <i>Norellia</i> Robineau-Desvoidy, 1830 (Diptera, Scathophagidae) from Altai	184	1-4	Apr.
Yu. A. Tshistjakov. A review of the subfamily Nolinae (Lepidoptera, Nolidae) of the Russian Far East	185	1-19	May
P. G. Nemkov. A key to the digger wasps of the genus <i>Mellinus</i> (Hymenoptera, Crabronidae, Mellininae) of the Russia	185	19-20	May
D. S. Aristov. Revision of the Permian genus <i>Parasylyviodes</i> Martynov, 1940 (Grylloblattida: Liomopteridae)	186	1-5	June
E. S. Koshkin. New records of the nolid-, noctuid-, and geometrid-moths (Lepidoptera: Nolidae, Noctuidae, Geometridae) from the Russian Far East	186	6-7	June
S. Yu. Storozhenko. <i>Uvarovina venosa</i> (Fischer-Waldheim, 1839) is newly recorded katydid species (Orthoptera, Tettigoniidae) from Buryatia	186	8	June
M. Yu. Proshchalykin. The bees of family Colletidae (Hymenoptera, Apoidea) of Transbaikalia	187	1-9	Aug.
P. G. Nemkov. New records of the digger wasps (Hymenoptera: Sphecidae, Crabronidae) from the Asian part of Russia	187	10-11	Aug.

A. V. Shavrin. Apateticinae Fauvel, 1895 is a new for the Russia subfamily of the rove beetles (Coleoptera, Staphylinidae)	187	12	Aug.
D. S. Aristov. New Grylloblattida (Insecta) from the Middle and Upper Permian of the Russia	188	1-7	Sep.
S. Yu. Storozhenko. <i>Diestrammena coreana</i> (Yamasaki, 1969) is newly recorded cave-cricket species (Orthoptera, Raphidophoridae) from Russia	188	8	Sep.
E.V. Mikhailjova. A new species of the millipede genus <i>Maritimosoma</i> (Diplopoda, Diplomaragnidae) from the Russian Far East	189	1-4	Oct.
A. S. Lelej and V. M. Loktionov. A review of the genus <i>Poecilagenia</i> Haupt, 1927 (Hymenoptera, Pompilidae) of the Russia with the world catalogue of the species	190	1-16	Nov.
A. S. Lelej, B. Gharali, H. Lotfalizadeh. New records of velvet ants (Hymenoptera: Mutilidae) from the west of Iran	191	1-7	Dec.
M. Yu. Proshchalykin. The bees of the family Melittidae (Hymenoptera, Apoidea) of Transbaikalia	191	8-9	Dec.

INSTRUCTIONS FOR AUTHORS

Far Eastern Entomologist is journal publishing original papers on entomology, including taxonomy, systematic, morphology, phylogeny, as well biology, ecology and biogeography. Reviews, comprehensive or revisionary studies of the insects thought other East Asia are especially welcome and will be given first priority for publication. Faunistic papers based on materials from the Russian Far East may be submitted also. Submission of a manuscript to Far Eastern Entomologist implies that the report is original, unpublished and is not being considered for publication elsewhere. Papers in languages other than English are not accepted.

Manuscripts must be type-written, double-spaced on one side of the standard-sized (A4, 21x31 sm.) white paper and submitted in one (text and figures) copy in a fully corrected form. Articles should be concise and the number of tables and figures limited to what is strictly necessary. Manuscripts should not exceed 16 pages (including figures and tables); additional printed pages are at the expense of the author(s).

Manuscripts should be prepared in accordance with the style and format of recent issues. (Current issues of Far Eastern Entomologist should be checked for style and format). An abstract should be followed by Key Words (2-7) and include no more than 100 words totally. Cite the author and year of publication of genera and species on first mention. The names of genera and species should be underlined. New description must conform with the current edition of the Code of Zoological Nomenclature. If a new taxon is described, the institution or museum where the type material is deposited must be indicated. The description of new taxa on types deposited in personal collection will not be accepted.

References in the text, as follows: "Bey-Bienko (1932) states..." or "Bey-Bienko (1932: 25) states..." when the author wishes to refer to a specific page, or "(Bey-Bienko, 1932)" as the author of a statement. Joint authors must be connected by "&" in both the text and the references. When there are more than two authors use "et al.," (Bey-Bienko et al., 1932) in the text. If journal names are not spelled out completely they should follow a consistent and accepted format.

Size of figures (including plates) as published should be less than 115 x 165mm. Illustration should be numbered in a single series throughout in Arabic numerals. Tables and legends must be typed on separate sheets and should be self-explanatory.

The following transliterations of Russian alphabet should be used:

A - a	E - e	K - k	П - p	Ф - f	Щ - shch
Б - b	Ж - zh	Л - l	Р - r	Х - kh	Ы - y
В - v	З - z	М - m	С - s	Ц - ts	Э - e
Г - g	И - i	Н - n	Т - t	Ч - ch	Ю - yu
Д - d	Й - i	О - o	У - u	Ш - sh	Я - ya

Manuscripts submitted are subject to review and editing by two anonymous reviewers and the Editor-in-Chief.

Twenty reprints of each article are provided free of charge to the first author. An order form and prices for additional reprints will be sent with the proofs.

Inquiries regarding content, subscription, manuscripts and copies should be sent to editor: S.Yu. Storozhenko, Institute of Biology and Soil Science, Vladivostok, 690022, Russia.

We recommend the electric submission of a complete manuscript to our office (entomol@ibss.dvo.ru).

© Far Eastern entomologist (Far East. entomol.) Journal published since October 1994.

Editor-in-Chief: S.Yu. Storozhenko

Editorial Board: A.S. Lelej, V.S. Sidorenko, N.V. Kurzenko, P.G. Nemkov

Address: Institute of Biology and Soil Science, Far East Branch of Russian Academy of Sciences, 690022, Vladivostok-22, Russia.

E-mail: entomol@ibss.dvo.ru

web-site: <http://www.biosoil.ru/fee>