

Far Eastern Entomologist

Дальневосточный энтомолог

Journal published by Far East Branch
of the Russian Entomological Society
and Laboratory of Entomology,
Institute of Biology and Soil Science,
Vladivostok

Number 261: 1-12

ISSN 1026-051X

April 2013

hppt/ urn:lsid:zoobank.org:pub: 170D14D4-8B66-4DFD-B288-91BD3AA7ED8D

CONTRIBUTION TO THE FAUNA OF BUMBLE BEES (HYMENOPTERA, APIDAE: *BOMBUS* LATREILLE, 1802) OF THE REPUBLIC OF KHAKASSIA, EASTERN SIBERIA

A. N. Kupianskaya, M. Yu. Proshchalykin, A. S. Lelej

*Institute of Biology and Soil Science, Far Eastern Branch of the Russian Academy
of Sciences, Vladivostok 690022, Russia. E-mail: proshchalikin@biosoil.ru*

An annotated list of nineteen species of bumble bees collected in the Republic of Khakassia in 2012 is given. The list accounts 32 species including one doubtful species. Eleven species: *Bombus barbutellus* (Kirby), *B. confusus* Schenck, *B. filchnerae* Vogt, *B. hortorum* (Linnaeus), *B. patagiatus* Nylander, *B. pseudobai-calensis* Vogt, *B. ruderarius* (Müller), *B. sibiricus* (Fabricius), *B. subterraneus* (Linnaeus), *B. sylvarum* (Linnaeus) and *B. veteranus* (Fabricius) are newly recorded from Khakassia. Patterns of bumble bees diversity in the Khakassia and Siberia are discussed.

KEY WORDS: Apoidea, Apiformes, Palaearctic region, biodiversity, new records.

А. Н. Купянская, М. Ю. Прощалькин, А. С. Лелей. К фауне шмелей (Hymenoptera, Apidae: *Bombus* Latreille, 1802) Республики Хакасия, Восточная Сибирь // Дальневосточный энтомолог. 2013. № 261. С. 1-12.

Приведен аннотированный список 19 видов шмелей, собранных в Республике Хакасия в 2012 г. Список включает 32 вида, включая один сомнительный. Одиннадцать видов: *Bombus barbutellus* (Kirby), *B. confusus* Schenck, *B. filchnerae*

Vogt, *B. hortorum* (Linnaeus), *B. patagiatus* Nylander, *B. pseudobaicalensis* Vogt, *B. ruderarius* (Müller), *B. sibiricus* (Fabricius), *B. subterraneus* (Linnaeus), *B. sylvarum* (Linnaeus) и *B. veteranus* (Fabricius) впервые указываются для фауны Хакасии. Обсуждаются особенности разнообразия шмелей в Хакасии и Сибири.

Биолого-почвенный институт ДВО РАН, Владивосток-22, 690022, Россия.

INTRODUCTION

Bumble bees number about 250 species worldwide, and are placed in a single genus *Bombus* Latreille, 1802 with 15 subgenera (Williams *et al.*, 2008). They are important pollinator of many vascular plants, especially in temperate and northern areas.




Fig. 1. The collecting sites of the bumble bees in Khakassia. I – Belyi Yar, Abakan River; II – Izykhskie Kopi; III – Zhemchuznnyi, Shira Lake; IV – 20 km NE Chernoe Ozero, Belyi Iyus River; V – Chernoe Ozero, Chernoe Lake.

Republic of Khakassia is located in the south of Eastern Siberia at the left side of Yenisei River on Sayan-Altay Plateau and in Khakass-Minusinsk Basin. The length of the republic territory from north to south is 400 km, from west to east – 200 km. land area – 61,900 sq. km. Khakassia is divided into two parts: mountainous and steppe ones. The largest rivers of the region are Yenisei and Abakan. More than 40% of Khakassia republic is covered by the forests (Srednyaya Sibir', 1964).

There were no special researches of the bumble bees of Khakassia. Up to now three species *Bombus deuteronymus* Schulz, 1906, *B. fragrans mongol* Skorikov, 1912 (currently is a synonym of *B. amurensis* Radozkowski, 1862), and *B. distinguendus* Morawitz, 1869 have been recorded from this territory (Skorikov, 1922, 1931; Panfilov, 1982). In the Red Data Book of Khakassia (Anyushin *et al.*, 2004) there are five species of bumble bees (Table 1), which are included from the Red Data Books of Krasnoyarsk Territory (1995) and former USSR (1984). Recently 15 species of bumble bees are recorded (Luzyanin, 2004, 2008), based on the material from one site, Balyksa, Western Khakassia, Kuznetsk Alatau (53°24'053"N, 089°07'047"E) (Table 1).

This paper based on the material collected by M.Yu. Proshchalykin and V.M. Loktionov in 2012 in five sites of steppe Khakassia (Fig. 1): **I** – Belyi Yar, Abakan River (53°36'074"N, 091°22'115"E); **II** – Izykhskie Kopi (53°33'146"N, 091°18'016"E); **III** – Zhemchuznyj, Shira Lake (54°30'991"N, 090°08'438"E); **IV** – 20 km NE Chernoe Ozero, Belyj Iyus River (54°36'753"N, 089°41'421"E); **V** – Chernoe Ozero, Chernoe Lake (54°40'642"N, 089°24'984"E). Totally 318 specimens (including 19 ones collected by N.S. Babichev in site **V**) have been studied. All materials are deposited in the collection of the Institute of Biology and Soil Science, Vladivostok, Russia (IBSS). The abbreviations are used in the specimens examined: "q" – queen, "w" – worker. New distribution records for the region are asterisked (*).

The subgeneric classification follows Williams *et al.* (2008); the synonymy of species follows Williams (1998) and Williams *et al.* (2011), except *Bombus saltuarius* Skorikov, 1922 and *B. altaicus* Skorikov, 1910, which are regarded as separate species.

LIST OF THE SPECIES

****Bombus (Bombias) confusus* Schenck, 1861**

SPECIMENS EXAMINED. **III**, 14-15.VII 2012, 1 w, 1 ♂.

DISTRIBUTION. Russia: *Khakassia, south of Western Siberia (Byvaltsev, 2008), Altai (Skorikov, 1931), European part. – Kazakhstan (Panfilov, 1957), Europe (Polaszek, 2004).

****Bombus (Subterraneobombus) subterraneus* (Linnaeus, 1758)**

SPECIMENS EXAMINED. **II**, 13.VII 2012, 3 q, 5 w; **III**, 14-15.VII 2012, 3 w, 1 ♂; **IV**, 17.VII 2012, 1 w.

DISTRIBUTION. Russia: *Khakassia, south of Western and Eastern Siberia, South Ural, European part. – Northern Mongolia, Kazakhstan, Caucasus (Panfilov *et al.*, 1961; Byvaltsev, 2008), Europe (Polaszek, 2004), Iran (Popov, 1967).

***Bombus (Subterraneobombus) distinguendus* Morawitz, 1869**

Bombus distinguendus: Panfilov *et al.*, 1961: 110; Panfilov, 1982: 27 (map); Levchenko, 2012: 74.

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 2 w; **III**, 14-15.VII 2012, 1 q, 15 w; **IV**, 17.VII 2012, 3 w; **V**, 6.VI 2012, 8 w (N. Babichev).

DISTRIBUTION. Russia: Khakassia (Panfilov *et al.*, 1961), south of Western and Eastern Siberia, southern and northern parts of Far East, South Ural, European part. – Mongolia, Northern Kazakhstan (Panfilov, 1982), Europe (Polaszek, 2004), North America (Aleutian Islands, Alaska) (Williams *et al.*, 2011).

****Bombus (Megabombus) hortorum* (Linnaeus, 1761)**

SPECIMENS EXAMINED. **II**, 13.VII 2012, 1 q, 17 w; **IV**, 17.VII 2012, 1 w; **V**, 6.VI 2012, 1 w (N. Babichev).

DISTRIBUTION. Russia: *Khakassia, Yakutia (Davydova & Pesenko, 2002), south of Western and Eastern Siberia, South Ural, European part. – Northern Mongolia, mountains of Central Asia, Caucasus (Panfilov, 1981), Europe (Polaszek, 2004), Iran (Popov, 1967), New Zealand (introduced) (Williams, 1998).

****Bombus (Thoracobombus) filchnerae* Vogt, 1908**

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 3 w; **II**, 13.VII 2012, 3 w; **III**, 14-15.VII 2012, 1 q, 9 w; **V**, 16-19.VII 2012, 2 q, 10 w.

DISTRIBUTION. Russia: *Khakassia, Transbaikalia. – Mongolia, China (Proshchalykin & Kupianskaya, 2009).

***Bombus (Thoracobombus) muscorum* (Linnaeus, 1758)**

Bombus muscorum: Anyushin *et al.*, 2004: 61.

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 2 w; **III**, 14-15.VII 2012, 2 w.

DISTRIBUTION. Russia: Khakassia (Anyushin *et al.*, 2004), Transbaikalia, Yakutia, Western Siberia, southern part of Far East, European part. – Northern Mongolia, North-Eastern China, mountains of Central Asia (Panfilov *et al.*, 1961), Europe (Polaszek, 2004).

***Bombus (Thoracobombus) humilis* Illiger, 1806**

Bombus subbaicalensis: Anyushin *et al.*, 2004: 61.

SPECIMENS EXAMINED. **III**, 14-15.VII 2012, 3 w; **V**, 16-19.VII 2012, 4 w.

DISTRIBUTION. Russia: Khakassia (Anyushin *et al.*, 2004), south of Western and Eastern Siberia, southern part of Far East, European part (Panfilov *et al.*, 1961; Kupianskaya, 1995). – Kazakhstan (Panfilov, 1957), Mongolia, Northern China (Williams *et al.*, 2009), Korea (Ito, 1985), Europe (Polaszek, 2004), Iran (Popov, 1967).

***Bombus (Thoracobombus) deuteronymus* Schulz, 1906**

Bombus deuteronymus: Skorikov, 1922: map 4; Levchenko, 2012: 73.

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 20 w; **II**, 13.VII 2012, 1 w.

DISTRIBUTION. Russia: Khakassia (Skorikov, 1922), south of Eastern Siberia, southern part of Far East, European part (Skorikov, 1922; Proshchalykin & Kupianskaya, 2009), Yakutia (Davydova & Pesenko, 2002), south of Western Siberia (Byvaltsev, 2008). – Mongolia (Tkalců, 1974), Northern China (An *et al.*, 2010, 2011), Japan (Hokkaido) (Tkalců, 1962), Europe (Polaszek, 2004).

****Bombus (Thoracobombus) pseudobaicalensis* Vogt, 1911**

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 8 w; **V**, 16-19.VII 2012, 13 w.

DISTRIBUTION. Russia: *Khakassia, south of Western Siberia, Altai, Yakutia, southern part of Far East. – Mongolia, North-Eastern China, Northern Korea, Japan (Hokkaido) (Panfilov *et al.*, 1961; Ito, 1985; Kupianskaya, 1995).

****Bombus (Thoracobombus) ruderarius* (Müller, 1776)**

SPECIMENS EXAMINED. **I**, 13.VII 2012, 1 ♂, 2 w; **II**, 13.VII 2012, 1 ♂, 2 w; **III**, 14-15.VII 2012, 1 q, 9 w; **IV**, 17.VII 2012, 2 ♂; **V**, 16-19.VII 2012, 5 ♂, 7 w.

DISTRIBUTION. Russia: *Khakassia, south of Eastern Siberia, European part (Panfilov *et al.*, 1961), south of Western Siberia (Byvaltsev, 2008). – Kazakhstan, (Panfilov, 1957), mountains of Central Asia (Skorikov, 1931), Europe (Polaszek, 2004), Caucasus, Northern Africa (Tkalců, 1974), Iran (Baker, 1996).

****Bombus (Thoracobombus) sylvarum* (Linnaeus, 1761)**

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 10 w; **IV**, 17.VII 2012, 3 w.

DISTRIBUTION. Russia: *Khakassia, south of Western Siberia (Byvaltsev, 2008), South Ural, European part (Panfilov, 1982). – Europe (Polaszek, 2004).

****Bombus (Thoracobombus) veteranus* (Fabricius, 1793)**

SPECIMENS EXAMINED. **II**, 13.VII 2012, 1 ♂, 5 w; **V**, 6.VI 2012, 1 w (N. Babichev).

DISTRIBUTION. Russia: *Khakassia, south of Western and Eastern Siberia, South Ural, European part. – Northern Mongolia, North-Eastern Kazakhstan, mountains of Central Asia (Panfilov, 1982), Europe (Polaszek, 2004).

***Bombus (Thoracobombus) pascuorum* (Scopoli, 1763)**

Bombus agrorum: Luzyanin, 2004: 90.

SPECIMENS EXAMINED. **V**, 16-19.VII 2012, 1 w.

DISTRIBUTION. Russia: Khakassia (Luzyanin, 2004), southern and northern parts of Far East (Proshchalykin, 2012), south of Western and Eastern Siberia, Yakutia, South Ural, European part. – Mongolia, Northern Kazakhstan, Caucasus, Northern Iran (Panfilov, 1956, 1981), Northern China (Williams, 2011), Korea (Ito, 1985), Europe (Polaszek, 2004).

****Bombus (Psithyrus) barbutellus* (Kirby, 1802)**

SPECIMENS EXAMINED. **III**, 14-15.VII 2012, 1 q.

DISTRIBUTION. Russia: *Khakassia, Aitai (Wnukowski, 1927), Novosibirsk Province (Byvaltsev, 2008), Transbaikalia, South Ural, south of Primorskii Territory, European part. – Kazakhstan, Northern Mongolia, Northern China, Caucasus (Popov, 1931; Tkalců, 1962; Kupianskaya, 1995), Europe (Polaszek, 2004).

***Bombus (Pyrobombus) hypnorum* (Linnaeus, 1758)**

Bombus hypnorum: Luzyanin, 2004: 90.

SPECIMENS EXAMINED. **I**, 11-12.VII 2012, 22 w, 4 ♂; **III**, 14-15.VII 2012, 1 w; **V**, 6.VI 2012, 4 q (N. Babichev).

DISTRIBUTION. Russia: Khakassia (Luzyanin, 2004), south of Western and Eastern Siberia, Ural, European part (Panfilov, 1984), Yakutia (Davydova & Pesenko, 2002), southern and northern parts of Far East (Proshchalykin, 2012). – North-Eastern Kazakhstan (Panfilov, 1984), Korea, Japan (Hokkaido) (Ito, 1985), China (Williams *et al.*, 2009), Europe (Polaszek, 2004), Mongolia, India, Nepal, Myanmar (Williams, 1991).

****Bombus (Bombus) patagiatus* Nylander, 1848**

SPECIMENS EXAMINED. **III**, 14-15.VII 2012, 1 q, 5 w; **IV**, 17.VII 2012, 3 w; **V**, 16-19.VII 2012, 1 q, 12 w.

DISTRIBUTION. Russia: *Khakassia, Altai, Ural, European part (Panfilov, 1957), south of Western and Eastern Siberia (Popov, 1927; Tkalců, 1967; Byvaltsev, 2008), Yakutia (Davydova & Pesenko, 2002), southern part of Far East (Proshchalykin, 2012). – Korea (Tkalců, 1967), mountains of North-Eastern China (Williams *et al.*, 2009), Europe (Polaszek, 2004).

***Bombus (Bombus) lucorum* (Linnaeus, 1761)**

Bombus lucorum: Luzyanin, 2004: 90.

SPECIMENS EXAMINED. **III**, 14-15.VII 2012, 30 w; **IV**, 17.VII 2012, 4 w; **V**, 6.VI 2012, 2 q (N. Babichev); 16-19.VII 2012, 19 w.

DISTRIBUTION. Russia: Khakassia (Luzyanin, 2004), Western Siberia (Popov, 1923; Byvaltsev, 2008), Eastern Siberia (Bertsch *et al.*, 2010), southern and northern parts of Far East (Proshchalykin, 2012), European part (Panfilov, 1957). – Europe (Polaszek, 2004).

Table 1

The list of bumble bees of Khakassia

№	Species	Reference data					
		I	II	III	IV	V	VI
1	<i>Bombus amurensis</i> Radozkowski, 1862	+					
2	<i>B. armeniacus</i> Radozkowski, 1877			?			
3	<i>B. barbutellus</i> (Kirby, 1802)						+
4	<i>B. bohemicus</i> Seidl, 1838				+		
5	<i>B. confusus</i> Schenck, 1861						+
6	<i>B. consobrinus</i> Dahlbom, 1832				+		
7	<i>B. deuteronymus</i> Schulz, 1906	+				+	+
8	<i>B. distinguendus</i> Morawitz, 1869		+			+	+
9	<i>B. filchnerae</i> Vogt, 1908						+
10	<i>B. flavidus</i> Eversmann, 1852				+		
11	<i>B. hortorum</i> (Linnaeus, 1761)						+
12	<i>B. humilis</i> Illiger, 1806			+			+
13	<i>B. hypnorum</i> (Linnaeus, 1758)				+		+
14	<i>B. lucorum</i> (Linnaeus, 1761)				+		+
15	<i>B. modestus</i> Eversmann, 1852			+	+		
16	<i>B. muscorum</i> (Linnaeus, 1758)			+			+
17	<i>B. norvegicus</i> (Sparre-Schneider, 1918)				+		
18	<i>B. pascuorum</i> (Scopoli, 1763)				+		+
19	<i>B. patagiatus</i> Nylander, 1848						+
20	<i>B. pratorum</i> (Linnaeus, 1761)				+		
21	<i>B. pseudobaicalensis</i> Vogt, 1911						+
22	<i>B. ruderarius</i> (Müller, 1776)						+
23	<i>B. rupestris</i> (Fabricius, 1793)				+		
24	<i>B. saltuarius</i> Skorikov, 1922				+		
25	<i>B. schrencki</i> Morawitz, 1881			+	+		
26	<i>B. sibiricus</i> (Fabricius, 1781)						+
27	<i>B. sichelii</i> Radoszkowski, 1860				+		+
28	<i>B. sporadicus</i> Nylander, 1848				+		
29	<i>B. subterraneus</i> (Linnaeus, 1758)						+
30	<i>B. sylvarum</i> (Linnaeus, 1761)						+
31	<i>B. sylvestris</i> (Lepeletier, 1832)				+		
32	<i>B. veteranus</i> (Fabricius, 1793)						+
Total:		2	1	5	15	3	19

I – Skorikov, 1922, 1931; II – Panfilov *et al.*, 1961; Panfilov, 1982; III – Anyushin *et al.*, 2004; IV – Luzyanin, 2004, 2008; V – Levchenko, 2012; VI – current data.

***Bombus (Melanobombus) sichelii* Radoszkowski, 1860**

Bombus sichelii: Luzyanin, 2004: 90.

SPECIMENS EXAMINED. **II**, 13.VII 2012, 1 w; **III**, 14-15.VII 2012, 4 w; **V**, 16-19.VII 2012, 1 w.

DISTRIBUTION. Russia: Khakassia (Luzyanin, 2004), south of Western and Eastern Siberia, European part (Reinig, 1935; Panfilov, 1957; Panfilov *et al.*, 1961; Byvaltsev, 2008), Yakutia (Davydova & Pesenko, 2002), southern and northern parts of Far East (Kupianskaya, 1995; Proshchalykin, 2012). – Northern Korea (Ito, 1985), Northern China (Williams *et al.*, 2009), Europe (Polaszek, 2004).

****Bombus (Sibiricobombus) sibiricus* (Fabricius, 1781)**

SPECIMENS EXAMINED. **III**, 14-15.VII 2012, 1 q, 2 w; **V**, 6.VI 2012, 3 q (N. Babichev); 16-19.VII 2012, 1 w.

DISTRIBUTION. Russia: *Khakassia, Transbaikalia, Tuva. – Mongolia, Kazakhstan, North-eastern China (Morawitz, 1876; Skorikov, 1910, 1931; Peters, Panfilov, 1968).

PATTERNS OF DIVERSITY

Nineteen species of bumble bees have been identified based on material collected in 2012, eleven species are newly recorded from Khakassia. The list of the bumble bee species is increased to 32 including one doubtful species (Table 1). In the future additional species which are known from the adjacent territories can be found in Khakassia: *B. altaicus* Skorikov, 1910 (Altay, Irkutsk region, and Northern Mongolia), *B. soroensis* (Fabricius, 1776) (Northern Kazakhstan, south of Western Siberia, and Northern Mongolia), *B. campestris* (Panzer, 1801) (Northern Kazakhstan, south of Western Siberia, Transbaikalia, and Northern Mongolia), *B. semenoviellus* Skorikov, 1910 (Northern Kazakhstan, south of Western Siberia, and Transbaikalia), *B. exil* Skorikov, 1922 (Northern Mongolia, Tuva, Yakutia, and Transbaikalia). In mountain Khakassia *B. lapponicus* (Fabricius, 1793), which is known from mountains of Altay and Transbaikalia, can habits also.

Table 2

Number of the species of bumble bees in the Siberian regions

Region and references	Number of species of bumble bees in this region / Number of species common with Khakassia	Ratio of Khakassian species (in %)
West Siberian Plain (Byvaltsev, 2008)	39/27	69
Kuznetsk-Salair mountain territory (Luzyanin, 2004, 2008)	32/26	81
Republic of Tyva (Panfilov <i>et al.</i> , 1961)	23/18	78
Transbaikalia (Proshchalykin & Kupianskaya, 2009)	34/23	67

The bumble bees fauna of Khakassia has most similarity with ones of Western Siberian Plain (27 common species) and Kuznetsk-Salair Mountains (26), somewhat less with Transbaikalia (23) and Tuva (18) (Table 2). In Kuznetsk-Salair Mountains the ratio of Khakassian species is 81%, in Tuva – 78%, in Western Siberian Plain – 69%, in Transbaikalia – 67%. The bumble bees fauna of Khakassia is a typical fauna of southern Siberia.

ACKNOWLEDGEMENTS

We thank V.N. Loktionov (IBSS), E.N. Akulov (Krasnoyarsk, Russia), N.S. Babichev, and Yu.N. Baranchikov (V.N. Sukachev Institute of Forest Siberian Branch of Russian Academy of Sciences, Krasnoyarsk, Russia) for the help during field survey in the Republic of Khakassia in 2012, S.L. Luzyanin (Kemerovo State University, Kemerovo, Russia) and N.S. Babichev for the providing important papers.

The work was supported by grant of the President of the Russian Federation for young Russian scientist support (grant number MK-411.2013.4), the Russian Funds for Basic Research (grant numbers 12-04-31175-мол_a, 11-04-00624_a, 11-04-98585-п_восток_a), and the Far Eastern Branch of the Russian Academy of Sciences (grant numbers 12-III-A-06-074, 12-I-II-30-03, 12-I-ОБН-02, 12-III-A-06-069, 13-III-B-06-026, 13-III-Д-06-015).

REFERENCES

- An, J-D., Williams, P.H., Miao, Z-Y. & Zhou, B-F. 2011. The bumblebees of Gansu, northwest China (Hymenoptera, Apidae). *Zootaxa*, 2865: 1–36.
- An, J-D, Huang, J-X., Williams, P.H., Wu, J. & Zhou, B-F. 2010. Species diversity and colony characteristics of bumblebees from the Hebei region of North China. *Chinese Journal of Applied Ecology*, 21(6): 1542–1550.
- Anyushin, V.V., Vishnevskii, I.I. & Savchenko, A.P. 2004. Krasnaya kniga Respubliki Khakasiya: Redkie i ischezayushchie vidy zhivothykh [The Red Data Book of the Republic of Khakassia: Rare and Endangered Species of Animal]. Novosibirsk: Nauka. 320 pp. (In Russian).
- Baker, D.B. 1996. On a collection of bumble-bees from northern Iran (Hymenoptera: Apoidea, Bombinae). *Beiträge zur Entomologie*, 46: 109–132.
- Bertsch, A., Hrabé De Angelis, M. & Przemec, G.H. 2010. Phylogenetic relationships of the bumblebees *Bombus moderatus*, *B. albocinctus*, *B. burjaeticus*, *B. florilegus* and *B. cryptarum* based on mitochondrial DNA markers: a complex of closely related taxa with circumpolar distribution. (Hymenoptera: Apidae: *Bombus*). *Beiträge zur Entomologie*, 60(1): 13–32.
- Byvaltsev, A.M. 2008. Fauna shmelei (Hymenoptera, Apidae, Bombini) lesostepnoi i stepnoi zon Zapadno-Sibirskoi ravniny [Bumblebee (Hymenoptera, Apidae, Bombini) fauna of the forest-steppe and steppe zones of the West Siberian Plain]. *Euroasian entomological journal*, 7(2): 141–147.
- Davydova, N.G. & Pesenko, Yu.A. 2002. Fauna pchel (Hymenoptera, Apoidea) Yakutii. I. [Bee fauna (Hymenoptera, Apoidea) of Yakutia. I]. *Entomologicheskoe obozrenie*, 81(3): 382–599. (In Russian).

- Ito, M. 1985. Additional notes on the bumblebee fauna of North Korea (Hymenoptera, Apidae). *Folia Entomologica Hungarica*, 46(1): 5–22.
- Krasnaya kniga Krasnoyarskogo kraia [The Red Data Book of the Krasnoyarsk Territory]. In: Syroechkovskii, E.E., Rogacheva, E.V. (eds). Krasnoyarsk: Knizhnoe izdatel'stvo, 1995. 406 pp. (In Russian).
- Krasnaya kniga SSSR: Redkie i nakhodyashchiesya pod ugrozoi ischeznoveniya vidy zhivotnykh i rastenii. Tom 1. Zhivotnye. [The Red Data Book of the USSR. Rare and Endangered Species of Animal and Plants. Vol. 1 [Animals]. The 2nd Edition. In: Borodin, A.M. (ed.). Moskva: Lesnaya Promyshlennost', 1984. 390 pp. (In Russian).
- Kupianskaya, A.N. 1995. 75. Sem. Apidae – Apidy [75. Fam. Apidae]. In: Lehr, P.A. (ed.). *Opredelitel' nasekomykh Dal'nego Vostoka Rossii. T. IV. Ch. 1. [A Key to Insects of the Far East of Russia. Vol. IV. Megaloptera, Raphidioptera, Neuroptera, Mecoptera, Hymenoptera. Pt 1.]*. St. Petersburg: Nauka. P. 551–580. (In Russian).
- Levchenko, T.V. 2012. Materialy po faune pchel (Hymenoptera: Apoidea) Moskovskoi oblasti. 3. Semeistvo Apidae. Rod *Bombus* Latreille, 1802 [Contributions to the fauna of bees (Hymenoptera: Apoidea) of Moscow Province. 3. Family Apidae. Genus *Bombus* Latreille, 1802]. *Eversmannia*, 31/32: 72–88. (In Russian).
- Luzyanin, S.L. 2004. Fauna i biotopicheskoe raspredelenie shmelei v Kuznetskom Alatau [The fauna and biotopic distribution of bumble bees in the Kuznetskiy Alatau]. In: Ereemeeva, N.I., Sushchev, D.V. (eds). *Ekologiya Yuznoi Sibiri i sopredelnykh territorii: materialy Mezhdunarodnoi shkoly-konferentsii studentov i molodykh uchenykh*. Abakan: KHGU. P. 90–91. (In Russian).
- Luzyanin, S.L. 2008. Materialy po faune shmelei-kukushek (Hymenoptera, Apidae, *Psithyrus*) Kuznetsko-Salairskoi gornoj oblasti [A contribution to the fauna of Cuckoo Bees (Hymenoptera, Apidae, *Psithyrus*) of the Kuznetsk-Salair mountain territory]. *Trudy Kemerovskogo otdeleniya Russkogo entomologicheskogo obshchestva*, 6: 68–75. (In Russian).
- Morawitz, F.F. 1876. Spisok nasekomykh, sobrannykh A.I. Khlebnikovym okolo Kyakhty i prislannykh Russkomy entomologicheskomu obshchestvu [A list of insects collected by A.I. Khlebnikov near Kyakhta and sent to the Russian Entomological Society]. *Trudy Russkogo entomologicheskogo obshchestva*, 8(4): 323–324. (In Russian).
- Panfilov, D.V. 1956. Materialy po sistematike shmelei (Hymenoptera, Bombinae) s opisaniem novykh form [Contributions to the taxonomy of bumble bees (Hymenoptera, Bombinae) with description of new forms]. *Zoologicheskii Zhurnal*, 35(9): 1325–1334. (In Russian).
- Panfilov, D.V. 1957. Shmeli (Bombidae) Moskovskoi oblasti [The bumble bees (Bombidae) of the Moscow province]. *Uchenye Zapiski MGPI*, 65(6): 191–219. (In Russian).
- Panfilov, D.V. 1981. Karty 91–97. Hymenoptera, Apoidea, Apidae [Maps 91–97. Hymenoptera, Apoidea, Apidae]. In: Gorodkov, K.B. (ed.). *Arealny nasekhomykh evropeiskoi chasti SSSR. Karty 73–125 [Provisional Atlas of Insects in the European Part of the USSR. Maps 73–125]*. Leningrad: Nauka. P. 22–28. (In Russian).
- Panfilov, D.V. 1982. Karty 147–150. Hymenoptera, Apoidea, Apidae [Maps 147–150. Hymenoptera, Apoidea, Apidae]. In: Gorodkov, K.B. (ed.). *Arealny nasekhomykh evropeiskoi chasti SSSR. Karty 126–178 [Provisional Atlas of Insects in the European Part of the USSR. Maps 126–178]*. Leningrad: Nauka. P. 25–28. (In Russian).
- Panfilov, D.V. 1984. Karty 186–192. Hymenoptera, Apoidea, Apidae [Maps 186–192. Hymenoptera, Apoidea, Apidae]. In: Gorodkov, K.B. (ed.). *Arealny nasekhomykh evropeiskoi chasti SSSR. Karty 179–221 [Provisional Atlas of Insects in the European Part of the USSR. Maps 179–221]*. Leningrad: Nauka. P. 28–35. (In Russian).

- Panfilov, D.V., Rossolimo, O.L. & Syroechkovskii, E.E. 1961. K faune i zoogeografii shmelei (Bombinae) Tuva [On the fauna and zoogeography of bumble bees (Bombinae) of Tuva]. *Izvestiya Sibirskogo Otdeleniya Akademii Nauk SSSR, Biologiya*, 6: 106–113. (In Russian).
- Peters, G., Panfilov, D.V. 1968. Humeln (*Bombus*) und Schmarotzerhummeln (*Psithyrus*) Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. *Rechenbachia*, 11(16): 177–182.
- Polaszek, A. 2004. Fauna Europaea: *Bombus* Latreille, 1802. In: Mitroiu, M.-D. 2004. *Fauna Europaea: Apidae. Fauna Europaea version 1.0*. <http://www.faunaeur.org>
- Popov, V.B. 1923. K poznaniyu fauny shmelei okrestnostei Ekaterinburga (Hymenoptera, Bombidae et Psithyridae) [A contribution to the knowledge of the bumble bee fauna in the environs of Ekaterinburg (Hymenoptera, Bombidae et Psithyridae)]. *Izvestiya Ural'skogo Universiteta*, 3: 259–269. (In Russian).
- Popov, V.B. 1931. Zur Kenntnis der paläarktischen Schmarotzerhummeln (*Psithyrus* Lep.). *Eos*, 7(2): 131–209.
- Popov, V.B. 1967. Pchelinye (Hymenoptera, Apoidea) Irana [The bees (Hymenoptera, Apoidea) of Iran]. *Trudy Zoologicheskogo Instituta Akademii Nauk SSSR*, 43: 184–216. (In Russian).
- Proshchalykin, M.Yu. & Kupianskaya, A.N. 2009. Pchely semeistva Apidae (Hymenoptera, Apoidea) Zabaikal'ya [The bees of family Apidae (Hymenoptera, Apoidea) of Transbaikalia]. *Euroasian entomological journal*, 8(1): 59–68. (In Russian).
- Proshchalykin, M.Yu. 2012. Sektsiya Apiformes – Pchely [Section Apiformes]. In: Lelej, A.S. (ed.). *Annotirovannyi katalog nasekomykh Dal'nego Vostoka Rossii. T. I. Pereponchatokrylye [Annotated catalogue of the insects of Russian Far East. Vol. I. Hymenoptera]*. Vladivostok: Dal'nauka. P. 448–473. (In Russian).
- Reinig, W.F. 1935. On the variation of *Bombus lapidarius* L. and its cuckoo, *Psithyrus rupestris* Fabr., with notes on mimetic similarity. *Journal of Genetics*, 30(3): 321–356.
- Skorikov, A.S. 1910. Novye formy shmelei (Hymenoptera, Bombidae). (Predvaritel'nye diagnozy). III [New forms of bumble bees (Hymenoptera, Bombidae). (Preliminary diagnoses). III]. *Russkoe Entomologicheskoe Obozrenie*, 9(4): 409–413. (In Russian).
- Skorikov, A.S. 1922. Shmeli Petrogradskoi gubernii [The Bumble Bees of the Petrograd Province]. *Faunae Petropolitanae Catalogus*, 2(11): 1–51. (In Russian).
- Skorikov, A.S. 1931. Die Hummelfauna Turkestans und ihre Beziehungen zur zentralasiatischen Fauna (Hymenoptera, Bombidae). In: Lindholm, V.A. (ed.). *Pamir-Expedition 1928. Abhandlungen der Expedition. Lieferung VIII. Zoologie*. Leningrad: Academy of Sciences of the USSR. P. 175–247.
- Srednyaya Sibir' [Middle Siberia]. In: Gerasimov, I.P. (ed.). *Prirodnye usloviya i estestvennye resursy SSSR*. Moskva: Nauka, 1964. 480 pp. (In Russian).
- Tkalců, B. 1962. Contribution à l'étude des bourdons du Japon (Hymenoptera, Apoidea) I. *Bulletin de la Société Entomologique de Mulhouse*, 18: 81–100.
- Tkalců B. 1967. Sur deux espèces de Bourdons décrites par William Nylander (Hymenoptera, Apoidea: *Bombus*). *Bulletin de la Société Entomologique de Mulhouse*, 23: 41–58.
- Tkalců, B. 1974. Ergebnisse der 1. und 2. mongolisch-tschechoslowakischen entomologisch-botanischen Expedition in der Mongolei. Nr. 29: Hymenoptera, Apoidea, Bombinae. *Acta Faunistica Entomologica Musei Nationalis Pragae*, 15(173): 25–57.
- Williams, P.H. 1991. The bumble bees of the Kashmir Himalaya (Hymenoptera: Apidae, Bombini). *Bulletin of the Natural History Museum, London, Entomology*, 60: 1–204.

Williams, P.H. 1998. An annotated checklist of bumble bees with an analysis of patterns of description (Hymenoptera: Apidae, Bombini). *Bulletin of the Natural History Museum, London, Entomology*, 67(1): 79–152.

Williams, P.H. 2011. Bumblebees collected by the Kyushu University Expeditions to Central Asia (Hymenoptera, Apidae, genus *Bombus*). *Esakia*, 50: 27–36.

Williams, P.H., An, J-D. & Huang, J-X. 2011. The bumblebees of the subgenus *Subterraneobombus*: integrating evidence from morphology and DNA barcodes (Hymenoptera, Apidae, Bombus). *Zoological Journal of the Linnean Society*, 163: 813–862.

Williams, P.H., Cameron, S.A., Hines, H.M., Cederberg, B. & Rasmont, P. 2008. A simplified subgeneric classification of the bumblebees (genus *Bombus*). *Apidologie*, 38: 1–29.

Williams, P.H., Tang, Y., Yao, J. & Cameron, S. 2009. The bumblebees of Sichuan (Hymenoptera: Apidae, Bombini). *Systematics and Biodiversity*, 7(2): 101–190.

Wnukowski, W. 1927. Verzeichnis der Hymenopteren des Bezirks Kamenj (südwestliches Sibirien, früheres Gouvernement Tomsk). *Konowia*, 6(1): 31–34.