## Far Eastern Entomologist

Number 347: 22-24

ISSN 1026-051X

December 2017

https://doi.org/10.25221/fee.347.2 http/urn:lsid:zoobank.org:pub:EA4E85DD-9B04-4A90-8706-E71258B58A09

# GEORISSIDAE (COLEOPTERA: HYDROPHILOIDEA) – A NEW BEETLE FAMILY FOR THE FAUNA OF MONGOLIA

## A. S. Sazhnev, A. A. Prokin

Papanin Institute for Biology of Inland Waters, Russian Academy of Sciences, Borok, 152742, Russia. E-mail: sazh@list.ru

**Summary**. The family Georissidae Thomson, 1859, the genus *Georissus* Latreille, 1809 and the species *Georissus crenulatus* (P. Rossi, 1794) are recorded from Mongolia for the first time.

Key words: Georissidae, Georissus crenulatus, Mongolia, new record.

А. С. Сажнев, А. А. Прокин. Georissidae (Coleoptera: Hydrophiloidea) — новое для фауны Монголии семейство жесткокрылых насекомых // Дальневосточный энтомолог. 2017. N 347. C. 22-24.

**Резюме**. Впервые из Монголии указываются семейство Georissidae Thomson, 1859, род *Georissus* Latreille, 1809 и вид *Georissus crenulatus* (P. Rossi, 1794).

#### INTRODUCTION

The family Georissidae is distributed world-wide and represented by 80 described species of a single genus *Georissus* Latreille, 1809. Twenty four species of *Georissus* are recorded from Palaearctic region (Fikáček & Przewoźny, 2015). Both immature stages and adults colonize wet muddy or sandy shores of standing and flowing waters, and are sometimes found near temporary ponds (Hansen, 1999; Hebauer, 2004; Litovkin & Fikaček, 2011).

Specimens of Georissidae were collected in Mongolia by authors using trampling and flushing along river bank. The material has been collected as results of expedition of hydrobiological team of the Joint Russian-Mongolian complex biological expedition of the Russian and Mongolian Academies of Sciences. Majority of collected beetles are stored in the Collection of aquatic invertebrates of the Papanin Institute for Biology of Inland Waters, Russian Academy of Sciences, Borok, (Russia), while 5 specimens are kept in the National Museum, Prague (Czech Republic).

For preliminary identification of species of *Georissus* we used key of Steffan (1979). Identification of the specimens was then confirmed by comparison with specimens from Europe and Russia.

Photographs of the beetles and the localities were taken using a Leica M165c light stereomicroscope with a Leica DFC420 digital camera and a Nikon Eclipse 50i light stereomicroscope with a digital camera. Images were generated by using Helicon FOCUS 5.3.14 software and enhanced by using PHOTOSHOP®.

#### NEW RECORD

## Family Georissidae Thomson, 1859

#### Genus Georissus Latreille, 1809

Georissus (Georissus) crenulatus (P. Rossi, 1794)

MATERIAL EXAMINED. **Mongolia:** Dzabkhan Aymag, vicinities of Dörvöljin sum, coast of Dzabkhan River, 47°37′28.43″N, 95°00′36.84″E, 28.VIII 2017, 20 ex. (coll. A.S. Sazhnev & A.A. Prokin).

NOTES. All specimens were collected at a distance of 2–5 meters from water edge line (Fig. 2) on sandy-gravel substrate on the shore of Dzabkhan River (at elevations up to 1 400 m a.s.l.) together with Saldidae, Carabidae (*Bembidion*, *Dyschiriodes*) and Heteroceridae (*Augyles*). All beetles were covered by drift.

DISTRIBUTION. Mongolia (new record). – Europe from Norway to Caucasus, Transcaucasia, Israel, Kazakhstan, Russia (West and East Siberia, Russian Far East) (Litovkin & Sazhnev, 2012; Fikáček & Przewoźny, 2015).



Fig. 1. Habitus of *Georissus crenulatus*, Dörvöljin, Mongolia. 1 – normal specimen, 3; 2 – immature specimen, 4; 3 – aedeagus, dorsal view.

### **ACKNOWLEDGEMENTS**

The work was supported by the grant of Russian Scientific Foundation, project no 15-14-10020 «Diversity of aquatic organisms in highlands: evolution, speciation, and systematics». We are grateful to A.P. Rasnitsyn (Borissiak Palaeontological Institute of Russian Academy of Sciences, Moscow) for the opportunity to use Leica M165c light stereomicroscope with a Leica DFC420 digital camera for preparing of the photographs.



Fig. 2. Habitat of Georissus crenulatus in Mongolia, coast of Dzabkhan River.

#### REFERENCES

Fikáček, M. & Przewoźny, M. 2015. Family Georissidae C.G. Thomson, 1859. P. 33–35. In: Löbl, I. & Löbl, D. (Eds.). Catalogue of Palaearctic Coleoptera. Vol. 2/1. Revised and Updated Edition. Brill, Leiden-Boston.

Hansen, M. 1999. *Hydrophiloidea (s. str.) (Coleoptera). World Catalogue of Insects. Vol. 2.* Appolo Books, Stenstrup. 416 p.

Hebauer, F. 2004. Systematic and zoogeographical notes on the genus *Georissus* Latreille, 1809 (Coleoptera: Hydrophiloidea). *Acta Coleopterologica*, 20(1): 3–6.

Litovkin, S.V. & Fikaček, M. 2011. New records of *Georissus costatus* Laporte de Castelnau, 1840 (Coleoptera: Georissidae) from Russia. *Russian Entomological Journal*, 20(4): 383–385.

Litovkin, S.V. & Sazhnev, A.S. 2012. Additional and general data of distribution and ecology of some Georissidae (Insecta, Coleoptera) species in Russia and Kazakhstan. *Entomological and parasitological investigations in Volga Region*, 10: 66–69. [In Russian]

Steffan, A.W. 1979. 43. Familie: Georissidae. P. 294–296. In: Freude, H., Harde, K.W. & Lohse, G.A. (Eds.). Die Kafer Mitteleuropas. Bd 6. Diversicornia. Goecke & Evers., Krefeld.