

SHORT COMMUNICATION

V. S. Yakubovich. FIRST RECORD OF THE DRAGONFLY *ORTHETRUM ALBISTYLUM SPECIOSUM* (UHLER, 1858) (ODONATA: LIBELLULIDAE) FROM KHABAROVSKII KRAI. – Far Eastern Entomologist. 2010. N 219: 11-12.

Summary. The dragonfly *Orthetrum albistylum speciosum* (Uhler, 1858) is firstly recorded from vicinity of Khabarovsk.

Key words. Dragonflies, Odonata, faunistic, Khabarovskii krai, Russia.

В. С. Якубович. Первая находка стрекозы *Orthetrum albistylum speciosum* (Uhler, 1858) (Odonata: Libellulidae) в Хабаровском крае // Дальневосточный энтомолог. 2010. N 219. С. 11-12.

Резюме. Стрекоза *Orthetrum albistylum speciosum* (Uhler, 1858) впервые приводится из окрестностей г. Хабаровск.

INTRODUCTION

In the Russian Far East *Orthetrum albistylum speciosum* (Uhler, 1858) was known from several localities in the Primorskii krai and Amurskaya oblast only (Malikova, 1995, 1997; Malikova & Ivanov, 2001). Herein this species is firstly recorded from Khabarovskii krai (Fig 1).




Fig. 1. The localities of *Orthetrum albistylum speciosum* (Uhler, 1858) in Khabarovskii krai (the Khabarovsk City area is dotted).

NEW RECORDS

Orthetrum albistylum speciosum (Uhler, 1858)

MATERIAL. RUSSIA: Khabarovskii krai, vicinity of Khabarovsk: Bolshekhokhtsirsky State Nature Reserve, mouth of Chirki River; 48°11'4" N, 134°40'5" E, 6-8.VII 2009, 6♂, 2♀ (V. Yakubovich); vicinity of Korfovskii, 48°12'5"N, 135°2'7" E, 21.VI 2008, 1♀ (V. Yakubovich); vicinity of Chernaya Rechka, 48°27'1" N, 135°18'2" E, 30.VI 2010, 2♂ (V. Yakubovich).

DISTRIBUTION. Russia: Amurskaya oblast, Khabarovskii krai (first record), Primorskii krai. – Japan, Korea, China.

NOTES. *Orthetrum albistylum speciosum* is an eastern subspecies of widely distributed in Palaearctic Region *O. albistylum* (Selys, 1848). In Khabarovskii krai the males of this species were collected near of the water during their air patrolling moving, but the females were captured far from water body.

REFERENCES

- Malikova, E.I. 1995. Dragonflies (Odonata, Insecta) of the Russian Far East. *Avtoreferat diss... kandidata biologicheskich nauk*. Novosibirsk. 25 pp. (In Russian).
- Malikova, E.I. 1997. The fauna of dragonflies (Insecta, Odonata) of the Amurskaya oblast. *Problemy ekologii Verkhnego Priamurya. Vypusk 3*. Blagovestshensk. P. 109–116. (In Russian).
- Malikova, E.I. & Ivanov, P.Yu. 2001. The fauna of dragonflies (Insecta, Odonata) of Primorskii krai. *Vladimir Ya. Levonodov's Biennial Memorial Meetings. Issue 1*. Vladivostok: Dalnauka. P. 131–143. (In Russian).

Author's address:

Department of Biology, Far Eastern Medical University,
Murav'ev-Amursky Street 35, Khabarovsk 680000, Russia.
E-mail: Presid_11@mail.ru

FAR EASTERN ENTOMOLOGIST
2010

CONTENTS

	N of issue	Pages	Date of issue
S. Y. Lang. Taxonomic notes on <i>Araschnia doris</i> Leech, 1892 (Lepidoptera, Nymphalidae) from China	204	1-5	Jan.
O. P. Negrobov, I. Ya. Grichanov. A new species of the genus <i>Scaipus</i> Zeller (Diptera: Dolichopodidae) from Caucasus	204	6-8	Jan.
W. M. ElSayed, K. Nakamura. Abundance, diversity and distribution of the ground beetles (Coleoptera: Carabidae) in a satoyama valley in Kanazawa, Japan, with special reference to the body size and feeding categories	205	1-19	Feb.
Yu. N. Danilov. First record of the digger wasp <i>Larra anathema</i> (Rossi, 1790) (Hymenoptera: Crabronidae) from the Asian part of Russia	205	20	Feb.
A. V. Gorochov. New species of the families Anostomatidae and Rhabdophoridae (Orthoptera: Stenopelmatoidea) from China	206	1-16	Feb.
I. Kinasih, K. Nakamura. Abundance and diversity of soil and litter invertebrate macrofauna in Satoyama in Kanazawa, Japan: a higher taxonomic level analysis	207	1-20	Feb.
Yu. A. Tshistjakov. Footman-moths of the genus <i>Setina</i> Schrank, 1802 (Lepidoptera, Arctiidae: Lithosiinae) in the Russian Far East	208	1-8	Mar.
A. L. Ozerov. Three new species of Sepsidae (Diptera)	209	1-6	Apr.
V. S. Sidorenko, M. B. Shedko. The case of facultative myiasis by <i>Leiomyza scatophagina</i> (Diptera: Asteiidae) of Amur sturgeon (<i>Acipenser schrenckii</i>)	209	6-8	Apr.
N. Samin, E. Koçak, M. Shojai, M. Havaskary. An annotated list of the Platygastroidea (Hymenoptera) from the Arasbaran Biosphere Reserve and vicinity, Northwestern Iran	210	1-8	May
U. Majumdar, A. Mazumdar, P.K. Chaudhuri. A new species of the genus <i>Cladotanytarsus</i> Kieffer, 1921 (Diptera, Chironomidae) from India with short notes on its biology	211	1-10	June
V. M. Loktionov. <i>Anoplius eous</i> Yasumatsu, 1936 (Hymenoptera, Pompilidae) is newly recorded from Russia	211	11-12	June
Yu. N. Sundukov. A new species of the genus <i>Apethymus</i> Benson, 1939 (Hymenoptera, Tenthredinidae) from Sikhote-Alin Mountains, Russian Far East	212	1-6	July

	N of issue	Pages	Date of issue
M. G. Krivosheina. The shore flies of the genus <i>Drachydeutera</i> Loew, 1862 (Diptera, Ephydriidae) of Thailand	212	7-11	July
A. V. Gorochov. New data on the Chinese representatives of the genus <i>Diestrammena</i> (Orthoptera: Rhaphidophoridae: Aemodogryllinae)	212	12-15	July
P. G. Nemkov. New record of the digger wasps (Hymenoptera: Sphecidae, Crabronidae) from the Asian part of Russia. Part II	212	16	July
Z. A. Fedotova, V. S. Sidorenko. A new taxa of gall midges from the tribes Clinodiplosini and Hypoprodiplosini trib. n. (Diptera, Cecidomyiidae, Clinodiplosidi) from the Russian Far East	213	1-28	Aug.
A. L. Ozerov. A review of Palaearctic species of the genus <i>Nanna</i> Strobl, 1894 (Diptera, Scathophagidae) with shining stripes or spots on scutum	214	1-8	Aug.
V. A. Dubinina, M. G. Ponomarenko. The white satin moth, <i>Leucoma salicis</i> (Linnaeus, 1758) (Lepidoptera: Lymantriidae), is a pest of the poplar in the Sakhalin	214	9-12	Aug.
M. Ünal. To the knowledge of the genus <i>Chorthippus</i> Fieber, 1853 (Orthoptera: Acrididae: Gomphocerinae) from Turkey with description of a new species	215	1-8	Sep.
I. Ya. Grichanov. A new species of <i>Condylostylus</i> Bigot, 1859 (Diptera: Dolichopodidae) from Tanzania	216	1-10	Sep.
A. V. Gorochov, S. Yu. Storozhenko. A new species of the genus <i>Orthelima</i> Karny, 1926 (Orthoptera: Tettigoniidae: Phaneropterinae) from Thailand	216	11-13	Sep.
A. L. Lvovsky, M. Fallahzadeh. <i>Psorosticha zizyphi</i> (Lepidoptera: Depressariidae) is newly recorded from Iran	216	14-16	Sep.
A. S. Lelej, V. M. Loktionov. Taxonomic notes on the species of genus <i>Arachnospila</i> Kincaid, 1900 (Hymenoptera, Pompilidae)	217	1-8	Oct.
S. Y. Lang. Study on the tribe Chalingini Morishita, 1996 (Lepidoptera, Nymphalidae, Limenitidae)	218	1-7	Nov.
Yu. N. Sundukov, M. E. Smirnov. First record of <i>Pentagonica daimiella</i> (Coleoptera: Carabidae) from Primorskii krai	218	8	Nov.
D. S. Aristov, S. Yu. Storozhenko. A new subfamily of grylloblattids Uralopriscinae subfam. n. (Grylloblattida: Lemmatophoridae) from the Permian of Russia	219	1-8	Dec.
N. Samin, N. Bagriacik, M. Shojai. Trigonalysidae (Hymenoptera) is newly recorded family from Iran	219	9-10	Dec.
V. S. Yakubovich. First record of the dragonfly <i>Orthetrum albistylum speciosum</i> (Uhler, 1858) (Odonata: Libellulidae) from Khabarovskii krai	219	11-12	Dec.

INSTRUCTIONS FOR AUTHORS

Far Eastern Entomologist is journal publishing original papers on entomology, including taxonomy, systematic, morphology, phylogeny, as well biology, ecology and biogeography. Reviews, comprehensive or revisionary studies of the insects thought other East Asia are especially welcome and will be given first priority for publication. Faunistic papers based on materials from the Russian Far East may be submitted also. Submission of a manuscript to Far Eastern Entomologist implies that the report is original, unpublished and is not being considered for publication elsewhere. Papers in languages other than English are not accepted.

Manuscripts must be type-written, double-spaced on one side of the standard-sized (A4, 21x31 sm.) white paper and submitted in one (text and figures) copy in a fully corrected form. Articles should be concise and the number of tables and figures limited to what is strictly necessary. Manuscripts should not exceed 16 pages (including figures and tables); additional printed pages are at the expense of the author(s).

Manuscripts should be prepared in accordance with the style and format of recent issues. (Current issues of Far Eastern Entomologist should be checked for style and format). An abstract should be followed by Key Words (2-7) and include no more than 100 words totally. Cite the author and year of publication of genera and species on first mention. The names of genera and species should be underlined. New description must conform with the current edition of the Code of Zoological Nomenclature. If a new taxon is described, the institution or museum where the type material is deposited must be indicated. The description of new taxa on types deposited in personal collection will not be accepted.

References in the text, as follows: "Bey-Bienko (1932) states..." or "Bey-Bienko (1932: 25) states..." when the author wishes to refer to a specific page, or "(Bey-Bienko, 1932)" as the author of a statement. Joint authors must be connected by "&" in both the text and the references. When there is more than two authors use "et al.," (Bey-Bienko et al., 1932) in the text. If journal names are not spelled out completely they should follow a consistent and accepted format.

Size of figures (including plates) as published should be less than 115 x 165mm. Illustration should be numbered in a single series throughout in Arabic numerals. Tables and legends must be typed on separate sheets and should be self-explanatory.

The following transliterations of Russian alphabet should be used:

А - a	Е - e	К - k	П - p	Ф - f	Щ - shch
Б - b	Ж - zh	Л - l	Р - r	Х - kh	Ы - y
В - v	З - z	М - m	С - s	Ц - ts	Э - e
Г - g	И - i	Н - n	Т - t	Ч - ch	Ю - yu
Д - d	Й - i	О - o	У - u	Ш - sh	Я - ya

Manuscripts submitted are subject to review and editing by two anonymous reviewers.

Twenty reprints of each article are provided free of charge to the first author. An order form and prices for additional reprints will be sent with the proofs.

Inquiries regarding content, subscription, manuscripts and copies should be sent to editor: S.Yu. Storozhenko, Institute of Biology and Soil Science, Vladivostok, 690022, Russia.

We recommend the electric submission of a complete manuscript to our office (entomol@ibss.dvo.ru) or to Editor-in-Chief (storozhenko@ibss.dvo.ru).

© **Far Eastern entomologist (Far East. entomol.)** Journal published since October 1994.

Editor-in-Chief: S.Yu. Storozhenko

Editorial Board: A.S. Lelej, N.V. Kurzenko, M.G. Ponomarenko, E.A. Beljaev, V.A. Mutin,
E.A. Makarchenko, T.M. Tiunova, P.G. Nemkov, M.Yu. Proshchalykin, S.A. Shabalin

Address: Institute of Biology and Soil Science, Far East Branch of Russian Academy of
Sciences, 690022, Vladivostok-22, Russia.

E-mail: entomol@ibss.dvo.ru

web-site: <http://www.biosoil.ru/fee>