

Correspondence

<http://urn:lsid:zoobank.org:pub:F6E6D4A0-94D3-403C-98B5-F747590E5F0C>

S. A. Shabalin^{1, 2)}. THE SCARABAEOID BEETLES (COLEOPTERA: SCARABAEOIDEA) FROM THE FAR EAST STATE MARINE RESERVE. – Far Eastern Entomologist. 2016. N 317: 16-24.

1) *Institute of Biology and Soil Science, Far Eastern Branch of the Russian Academy of Sciences, Vladivostok 690022, Russia. E-mail: oxecetonia@mail.ru*

2) *Ussuri Nature Reserve, Far East Branch, Russian Academy of Sciences, Ussuriysk 692519, Russia.*

Summary. An annotated list of 36 species in 26 genera and 5 families of the scarab-beetles firstly recorded from the Far East State Marine Reserve is given.

Key words: Coleoptera, Scarabaeoidea, scarab-beetles, fauna, Primorskii krai, Russia.

С. А. Шабалин. Пластинчатоусые жесткокрылые (Coleoptera: Scarabaeoidea) Дальневосточного морского заповедника // Дальневосточный энтомолог. 2016. N 317. С. 16-24.

Резюме. Приведен аннотированный список 36 видов из 26 родов и 5 семейств пластинчатоусых жесткокрылых, впервые найденных в Дальневосточном морском заповеднике.

Beetles of the superfamily Scarabaeoidea are among the best-studied insect groups in the Russian Far East. Six families, namely Lucanidae, Trogidae, Bolboceratidae, Geotrupidae, Ochodaeidae and Scarabaeidae, are known from this region. Biodiversity inventorying is currently a high-priority task of the Russian nature reserves and national parks. Nevertheless, there is no list the scarab-beetles occurring in the islands and continental coast of the Far East State Marine Reserve. More than 300 specimens collected in reserve are examined. Studied materials are deposited in the collection of the Institute of Biology and Soil Science, Vladivostok [IBSS]. An annotated list of the scarab-beetles of reserve is given below. Distribution of the species follows Shabalin (2011, 2014), Shabalin & Bezborodov (2012), Kim (2011, 2012), Liu *et al.* (1997), Hua (2002), and Wang *et al.* (2012). Abbreviation of collectors is as follow: AE – A.A. Emeljanov, EB – E.A. Beljaev, GL – G.Sh. Lafer, MP – M.G. Ponomarenko, SS – S.A. Shabalin.

LIST OF THE SPECIES

Family Lucanidae

Prismognathus dauricus Motschulsky, 1860

MATERIAL. Russia: Primorskii krai, Sredny Bay, 10.VIII 2009, 1 ex. (SS); Furugelm Is., 06-12.VIII 2013, 1 ex. (MP, EB).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Beijing, Jiangxi, Hunan, Guangdong, Yunnan), North Korea (Hamgyeongbuk-do, Yanggang-do, Jagang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Hemisorcus rubrofemoratus* (Snellen van Vollenhoven, 1865)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 10.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir, Iturup, Shikotan. – China (Heilongjiang, Jilin, Liaoning, Fujian, Taiwan, Hunan, Sichuan), North Korea (Pyeongangbuk-do, Hamgyongnam-do, Gangwon-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Jeollabuk-do, Gyeong-sangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima).

Family Trogidae

***Trox koreanus* Kim, 1991**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 18.VII 2012, 2 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai. – North Korea (Hamgyeongbuk-do), South Korea (Gyeonggi-do, Chungcheongnam-do, Jeollanam-do).

***Trox mandli* Balthasar, 1931**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 18.VI 2012, 4 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir. – China (Heilongjiang, Fujian), South Korea (Gyeonggi-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Family Geotrupidae

***Geotrupes koltzei* Reitter, 1892**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 16.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Yakutia, Buryatia, Zabaikalskii krai, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir, Shikotan, Iturup. – China (Gansu, Qinghai, Sichuan), Mongolia, Japan (Hokkaido, Honshu).

***Phelotrupes auratus* (Motschulsky, 1858)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 16.VIII 2009, 3 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai, Sakhalin, Kunashir, Shikotan, Iturup. – China (Heilongjiang, Jilin, Jiangsu, Zhejiang, Xinjiang, Yunnan), North Korea (Hamgyeongbuk-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeonganam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Gyeong-sangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima, Yakushima).

Family Bolboceratidae

***Bolbocerodema zonatum* Nikolajev, 1973**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 12.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai. – North Korea (Gangwon-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongnam-do, Jeollabuk-do, Jeju-do).

Family Scarabaeidae

***Liatongus minutus* (Motschulsky, 1861)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 11.VIII 2009, 1 ex.; same locality, 16.VIII 2009, 3 ex. (SS).

DISTRIBUTION. Россия: Primorskii krai. – China (Heilongjiang, Jilin, Liaoning), North Korea (Hamgyeongbuk-do, Hamgyongnam-do, Gangwon-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido).

***Caccobius christophi* Harold, 1879**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 16.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – China (Liaoning, Hebei, Shanxi, Sichuan, Yunnan), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganam-do), South Korea (Gangwon-do, Gyeongsangbuk-do, Gyeongsangnam-do).

***Onthophagus uniformis* Heyden, 1886**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 16. VIII 2009, 2 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Liaoning, Beijing, Gansu), North Korea (Hamgyeongbuk-do, Yanggang-do, Hamgyongnam-do, Gangwon-do, Hwanghaenam-do), South Korea (Gangwon-do).

***Onthophagus punctator* Reitter, 1892**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 16.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Khabarovskii krai, Primorskii krai. – Mongolia, China (Liaoning, Beijing, Hebei, Gansu, Shanxi, Hubei, Sichuan), North Korea (Hamgyeongbuk-do, Pyeonganam-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do).

***Onthophagus atripennis* Waterhouse, 1875**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 16.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir. – China (Heilongjiang, Jilin, Liaoning, Beijing, Fujian, Sichuan, Shaanxi), North Korea (Hamgyeongbuk-do, Pyeonganam-do, Hwanghaebuk-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Садо, Tsushima, Shikoku, Kyushu, Yakushima).

***Mimela testaceipes* (Motschulsky, 1861)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 12.VIII 2009, 2 ex. (SS); Furugelm Is., 5.VIII 1929, 1 ex.; same locality, 7.VIII 1929, 1 ex.; same locality, 8.VIII 1929, 7 ex. (AE); same locality, 06-12.VIII 2013, 7 ex. (MP, EB).

DISTRIBUTION. Russia: Primorskii krai, Sakhalin, Kunashir. – China (Jilin, Liaoning, Beijing, Shaanxi Shanxi), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeonganam-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Izu, Shikoku, Kyushu, Tsushima, Yakushima).

***Anomala luculenta* Erichson, 1847**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 15.VII 2012, 1 ex. (SS); same locality, 5.VIII 1929, 1 ex. (AE).

DISTRIBUTION. Russia: Zabaikalskii krai, Buryatia, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – Mongolia, China (Heilongjiang, Inner Mongolia, Jilin, Liaoning, Shandong, Jiangsu, Henan, Hubei, Shanxi, Taiwan), North Korea (Hamgyeongbuk-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Anomala mongolica* Faldermann, 1835**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 12.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Eastern Siberia, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin. – Mongolia, China (Heilongjiang, Inner Mongolia, Jilin, Liaoning, Beijing, Shandong, Hebei, Shaanxi, Henan, Anhui, Hubei, Sichuan, Fujian), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Gangwon-do, Pyeongannam-do, Hwanghaenam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Anomala viridana* (Kolbe, 1886)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 10.VIII 2009, 1 ex.; same locality, 12.VIII 2009, 5 ex. (SS); same locality, 24.IX 2012, 1 ex. (MP, EB).

DISTRIBUTION. Russia: Primorskii krai, Kunashir. – South Korea (Gangwon-do, Gyeonggi-do), Japan (Honshu, Shikoku, Kyushu, Izu).

***Phyllopertha horticola* (Linnaeus, 1758)**

MATERIAL. Russia: Primorskii krai, Bolshoi Pelis Is., 21.VII 2012, 1 ex. (SS).

DISTRIBUTION. Russia: European part, Siberia, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin. – Europe, Kazakhstan, Kyrgyzstan, Mongolia, China (Heilongjiang, Jilin, Liaoning, Inner Mongolia, Beijing, Hebei, Shanxi, Qinghai, Shaanxi, Xinjiang, Tibet), North Korea (Hamgyongnam-do, Pyeongannam-do).

***Exomala pallidipennis* Reitter, 1903**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 15.VIII 2009, 2 ex. (SS); Furugelm Is., 5.VIII 1929 3 ex.; same locality, 8.VIII 1929 1 ex. (AE).

DISTRIBUTION. Russia: Eastern Siberia, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Shandong, Henan), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Hwanghaenam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Maladera castanea* (Arrow, 1913)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 10.VIII 2009, 2 ex.; same locality, 12.VIII 2009, 1 ex.; same locality, 13.VIII 2009, 2 ex.; same locality, 15.VIII 2009, 13 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Moneron, Kunashir, Shikotan. – Mongolia, China (Heilongjiang, Jilin, Liaoning, Henan, Beijing, Hubei, Hebei, Jiangsu, Fujian, Guangxi, Zhejiang, Taiwan, Hunan, Sichuan), North Korea (Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

***Maladera renardi* (Ballion, 1871)**

MATERIAL. Russia: Primorskii krai, Bolshoi Pelis Is., 10.V 1966, 1 ex. (GL); same locality, 20.V 1967, 1 ex. (M. Kazykhanova); same locality, 26.VI 2001, 1 ex. (L.A. Prozorova); Furugelm Is., 18.VII 2012, 3 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir, Iturup, Shikotan. – Mongolia, China (Heilongjiang, Jilin, Liaoning), North Korea (Hamgyeongbuk-do, Yanggang-do, Jagang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Hwanghaebuk-do, Hwanghaenam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do), Japan (Honshu, Shikoku, Kyushu).

***Maladera pissigrada* (Brenske, 1897)**

MATERIAL. Russia: Primorskii krai, Bolshoi Pelis Is., 10.V 1966, 3 ex.; same locality, 18.V 1966, 1 ex. (GL).

DISTRIBUTION. Russia: Khabarovskii krai, Primorskii krai. – Japan (Nansei, Amami, Tokunoshima).

***Serica polita* (Gebler, 1832)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 12.VIII 2009, 12 ex. (SS); Furugelm Is., 06-12.VIII 2013, 6 ex. (MP, EB).

DISTRIBUTION. Russia: Buryatia, Zabaikalskii krai, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin. – Mongolia, China (Shanxi), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Hwanghaebuk-do, Hwanghaenam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Sericania fuscolineata* Motschulsky, 1860**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 17.VII 2012, 5 ex.; same locality, 18.VI 2012, 16 ex. (SS); Bolshoi Pelis Is., 20.VII 2012, 4 ex. (SS).

DISTRIBUTION. Russia: Irkutskaya oblast, Yakutia, Buryatia, Zabaikalskii krai, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin. – China (Heilongjiang, Jilin, Liaoning, Hebei, Shanxi), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Hwanghaebuk-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do), Japan (Hokkaido, Honshu, Shikoku, Tsushima, Kyushu).

***Nipponoserica koltzei* (Reitter, 1897)**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 15.VII 2012, 13 ex. (SS); same locality, 06-12.VIII 2013, 1 ex. (MP, EB).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Liaoning, Gansu, Qinghai, Hubei), North Korea (Gangwon-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Gyeongsangbuk-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do).

***Melolontha incana* (Motschulsky, 1854)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 10.VIII 2009, 1 ex. (SS); Furugelm Is., 06-12.VIII 2013, 1 ex. (MP, EB).

DISTRIBUTION. Russia: Primorskii krai. – China (Heilongjiang, Inner Mongolia, Jilin, Liaoning, Beijing, Hebei, Shanxi, Shandong, Henan, Shanxi, Shaanxi, Ningxia, Hubei, Anhui, Jiangxi, Zhejiang, Hunan, Guangxi, Guizhou, Sichuan), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Hwanghaenam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Hilyotrogus bicolorus* (Heyden, 1887)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 12.VIII 2009, 20 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Hebei, Hubei, Guizhou, Shanxi, Gansu, Qinghai, Sichuan), North Korea (Hamgyeongbuk-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Hwanghaebuk-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do).

***Brahmina crenicollis* (Motschulsky, 1854)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 10.VIII 2009, 1 ex.; same locality, 12.VIII 2009, 1 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Gansu, Guizhou), Korea.

***Eotrichia titanis* (Reitter, 1902)**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 18.VI 2012, 1 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Hebei, Shanxi, Shaanxi, Shandong, Jiangsu, Zhejiang, Gansu, Henan, Hubei, Sichuan, Guangxi), North Korea (Hamgyeongbuk-do, Pyeonganbuk-do, Hamgyongnam-do, Pyeongannam-do, Hwanghaebuk-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Chungcheongnam-do, Jeollabuk-do, Jeju-do).

***Holotrichia diomphalia* (Bates, 1888)**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 12.VIII 2009, 1 ex. (SS); Furugelm Is., 10-20.VI 1969, 1 ex. (Yu.M. Nazarov); same locality, 18.VI 2012, 2 ex.; same locality, 18.VII 2012, 1 ex.; same locality, 15.VII 2012, 1 ex. (SS); same locality, 8.VIII 1929 1 ex. (AE); Bolshoi Pelis Is., 6.V 1966, 1 ex. (GL); same locality, 14.V 1967, 2 ex. (M. Kazykhanova); same locality, 20.VII 2012, 1 ex. (SS).

DISTRIBUTION. Russia: Yakutia, Buryatia, Zabaikalskii krai, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir, Iturup, Shikotan. – Mongolia, China (Heilongjiang, Jilin, Liaoning, Beijing, Inner Mongolia, Hebei, Henan, Gansu, Shaanxi, Hubei, Jiangsu, Zhejiang, Shandong, Fujian, Guangxi), North Korea (Hamgyeongbuk-do, Jagang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Hwanghaebuk-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Tsushima).

***Holotrichia kiotonensis* Brenske, 1894**

MATERIAL. Russia: Primorskii krai, Sredny Bay, 13.VIII 2009, 1 ex. (SS); Furugelm Is., 17-18.VI 2012, 5 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir. – China (Beijing, Jiangsu, Jiangxi, Fujian, Taiwan), North Korea (Hwanghaebuk-do), South Korea (Gyeonggi-do, Gyeongsangbuk-do, Gyeongsangnam-do, Jeollanam-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima).

***Holotrichia picea* Waterhouse, 1875**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 18.VI 2012, 2 ex. (SS).

DISTRIBUTION. Russia: Primorskii krai, Kunashir. – China (Heilongjiang, Jilin, Liaoning, Inner Mongolia, Hebei, Shanxi, Hubei, Jiangxi), North Korea (Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Izu, Shikoku, Kyushu).

***Holotrichia sichotana* Brenske, 1897**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 18.VI 2012, 74 ex.; same locality, 19.VI 2012, 4 ex.; same locality, 16.VII 2012, 1 ex. (SS); same locality, 06-12.VIII 2013, 2 ex. (MP, EB); Bolshoi Pelis Is., 20.VII 2012, 2 ex. (SS).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Qinghai, Xinjiang), South Korea (Gyeonggi-do).

***Ectinohoplia rufipes* (Motschulsky, 1860)**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 5.VIII 1929, 1 ex. (AE).

DISTRIBUTION. Russia: Buryatia, Zabaikalskii krai, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir, Shikotan, Iturup. – China (Heilongjiang, Jilin, Liaoning, Shanxi, Hubei, Shandong), North Korea (Yanggang-do, Hamgyongnam-do, Gangwon-do, Gyeonggi-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima).

***Lasiotrichius succinctus* (Pallas, 1781)**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 15.VII 2012, 3 ex. (SS), same locality, 06-12.VIII 2013, 1 ex. (MP, EB).

DISTRIBUTION. Russia: Irkutskaya oblast, Yakutia, Zabaikalskii krai, Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai, Sakhalin, Kunashir, Shikotan. – Mongolia, China (Heilongjiang, Jilin, Liaoning, Inner Mongolia, Beijing, Shanxi, Shaanxi,

Hebei, Henan, Shandong, Taiwan, Hubei, Jiangsu, Zhejiang, Fujian, Guangdong, Guangxi, Sichuan, Yunnan), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Pyeongannam-do, Hwanghaenam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Gyeongsangnam-do, Jeollanam-do, Jeju-do), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima, Yakushima).

***Cetonia magnifica* Ballion, 1871**

MATERIAL. Russia: Primorskii krai, Furugelm Is., 15.VII 2012, 1 ex.; same locality, 18.VII 2012, 1 ex. (SS); same locality, 5.VIII 1929, 1 ex.; same locality, 8.VIII 1927, 1 ex. (AE); Bolshoi Pelis Is., 19.VII 2012, 3 ex. (SS); same locality, 10-15.VI 1967, 2 ex.; same locality, 11.IX 1966, 1 ex. (GL); same locality, 6.IX 1966, 1 ex. (M. Kazykhanova).

DISTRIBUTION. Russia: Amurskaya oblast, Jewish autonomous oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Inner Mongolia, Hebei, Shanxi, Shandong, Henan, Shaanxi), North Korea (Hamgyeongbuk-do, Yanggang-do, Pyeonganbuk-do, Hamgyongnam-do, Gangwon-do, Hwanghaebuk-do, Hwanghaenam-do).

***Protaetia famelica* (Janson, 1878)**

MATERIAL. Russia: Primorskii krai, Bolshoi Pelis Is., 19.VII 2012, 1 ex. (SS); same locality, 8-12.IX 1966, 1 ex. (GL); same locality, 12.IX 1966, 1 ex. (Yu.M. Nazarov).

DISTRIBUTION. Russia: Amurskaya oblast, Khabarovskii krai, Primorskii krai. – China (Heilongjiang, Jilin, Liaoning, Inner Mongolia, Beijing, Hebei, Shanxi, Sichuan, Shandong, Jiangsu, Shaanxi, Zhejiang, Hubei, Jiangxi, Yunnan), North Korea (Hamgyongnam-do, Gangwon-do, Pyeongannam-do), South Korea (Gangwon-do, Gyeonggi-do, Chungcheongbuk-do, Gyeongsangbuk-do, Chungcheongnam-do, Jeollabuk-do, Jeollanam-do, Jeju-do).

CONCLUSION

Thus, 36 species of superfamily Scarabaeoidea from 26 genera and 5 families are firstly recorded from the Far Eastern State Marine Reserve (Primorskii krai, Russia). Twenty one species are found in the continental coast of the Peter the Great Gulf, nineteen species are recorded from Furugelm Island, and only four species are found in Bolshoi Pelis Island.

ACKNOWLEDGEMENTS

The work was supported by the grant of the Russian Foundation for Basic Research (No. 14-04-00649).

REFERENCES

- Shabalin, S.A. 2011. Distribution of Scarabaeoidea-beetles (Coleoptera: Scarabaeoidea) in the regions Far East Russia. P. 65–80. In: Lelej A.S., Storozhenko S.Yu., Kupianskaya A.N. & Proshchalykin M.Yu. (eds.). *Key to the insects of Russian Far East. Additional volume. Analysis of the fauna and general index of the names*. Dalnauka, Vladivostok. [In Russian].
- Shabalin, S.A. 2014. *Larvae of scarab beetles of Pleurosticti-group (Coleoptera, Scarabaeidae) from the Russian Far East*. Dalnauka, Vladivostok. 220 pp. [In Russian].
- Shabalin, S.A. & Bezborodov, V.G. 2012. Scarabaeoid-beetles of Sakhalinskaya oblast. P. 247–287. In: Storozhenko S.Yu. (ed.). *Flora and fauna of North-West Pacific islands (Materials of International Kuril Island and International Sakhalin Island Projects)*. Dalnauka, Vladivostok. [In Russian].

- Kim, J.I. 2011. Insect Fauna of Korea. Vol. 12, N 1. Arthropoda: Insecta: Coleoptera: Scarabaeoidea (Pleurosticti). *The Flora and Fauna of Korea*. National Institute of Biological Resources, Incheon. 253 pp.
- Kim, J.I. 2012. Insect Fauna of Korea. Vol. 12, N 3. Arthropoda: Insecta: Coleoptera: Scarabaeoidea (Laparosticti). *The Flora and Fauna of Korea*. National Institute of Biological Resources, Incheon. 209 pp.
- Liu, G.R., Zhang, Y.W., Wang, X. 1997. *The color Illustrated of Common Lamellicornia Beetle of Northern China*. China Forestry Publication House, Beijing. 106 pp.
- Hua, L.-G. 2002. *List of the Chinese Insects. Vol. II. Coleoptera*. Zongshan University Press, Guangzhou. 612 pp.
- Wang, X., Fang, H., Zhang, Z. 2012. *Color atlas of Liaoning beetles*. Liaoning Science and Technology Publishing House, Liaoning. 452 pp.

© **Far Eastern entomologist (Far East. entomol.)** Journal published since October 1994.
Editor-in-Chief: S.Yu. Storozhenko
Editorial Board: A.S. Lelej, S.A. Belokobylskij, M.G. Ponomarenko, E.A. Beljaev, V.A. Mutin,
E.A. Makarchenko, T.M. Tiunova, P.G. Nemkov, M.Yu. Proshchalykin, S.A. Shabalin
Address: Institute of Biology and Soil Science, Far East Branch of Russian Academy of
Sciences, 690022, Vladivostok-22, Russia.
E-mail: storozhenko@biosoil.ru web-site: <http://www.biosoil.ru/fee>