

ПОЛЕВОЙ ЖУРНАЛ БИОЛОГА

Field Biologist Journal

Том 3, № 1

2021

ISSN 2658-3453



БНиУ
BELGOROD STATE
UNIVERSITY (BSU)



16+

ПОЛЕВОЙ ЖУРНАЛ БИОЛОГА

2021. Том 3, № 1

Издаётся с 2019 года

Учредитель:

Федеральное государственное автономное образовательное учреждение высшего образования «Белгородский государственный национальный исследовательский университет».

Издатель:

НИУ «БелГУ». Издательский дом «БелГУ». Адрес редакции, издателя, типографии: 308015, г. Белгород, ул. Победы, 85.

РЕДАКЦИОННАЯ КОЛЛЕГИЯ

Главный редактор

В.И. Чернявских, доктор сельскохозяйственных наук, доцент, профессор кафедры биологии НИУ «БелГУ»,
(г. Белгород, Россия)

Члены редколлегии

В.В. Анкин, доктор биологических наук, профессор, профессор кафедры морфологии и экологии животных Саратовского государственного университета им. Н.Г. Чернышевского, г. Саратов, Россия

Заместители главного редактора

В.Б. Голуб, доктор биологических наук, профессор, заведующий кафедрой зоологии и паразитологии Воронежского государственного университета,
(г. Воронеж, Россия)

С.В. Дедюхин, доктор биологических наук, доцент, профессор кафедры ботаники, зоологии и биоэкологии Удмуртского государственного университета, г. Ижевск, Удмуртская Республика, Россия

Е.В. Думачева, доктор биологических наук, доцент, профессор кафедры биологии НИУ «БелГУ»,
(г. Белгород, Россия)

Л.Х. Ёзиеев, доктор биологических наук, профессор, заведующий кафедрой ботаники и экологии факультета естественных наук Каршинского государственного университета, г. Карши, Узбекистан

Н.М. Решетникова, доктор биологических наук, старший научный сотрудник Главного ботанического сада им. Н.В. Цицина РАН,
(г. Москва, Россия)

Г.А. Лада, доктор биологических наук, доцент, профессор кафедры биологии и биотехнологии Тамбовского государственного университета им. Г.Р. Державина, г. Тамбов, Россия

Ответственный секретарь

Ю.А. Присный, кандидат биологических наук, доцент, доцент кафедры биологии НИУ «БелГУ»,
(г. Белгород, Россия)

А.А. Нотов, доктор биологических наук, профессор, профессор кафедры ботаники Тверского государственного университета, г. Тверь, Россия

А.А. Прокин, кандидат биологических наук, старший научный сотрудник Института биологии внутренних вод им. И.Д. Папанина РАН, пос. Борок Ярославская обл., Россия

Н.И. Сидельников, доктор сельскохозяйственных наук, академик РАН, директор Всероссийского научно-исследовательского института лекарственных и ароматических растений, г. Москва, Россия

Журнал зарегистрирован в Федеральной службе по надзору в сфере связи, информационных технологий и массовых коммуникаций (Роскомнадзор). Свидетельство о регистрации ПИ № ФС 77 – 73475 от 17.08.2018. Выходит 4 раза в год.

Выпускающий редактор Л.П. Коханова. Оригинал-макет О.Г. Томусяк. На обл. фото Ю.А. Присного – «Поздний кожан – *Eptesicus serotinus* (Schreber, 1774) (г. Белгород, ноябрь 2019)». Гарнитуры Times New Roman, Arial, Impact. Уч.-изд. л. 6,2. Дата выхода 30.03.2021. Оригинал-макет подготовлен отделом объединенной редакции научных журналов НИУ «БелГУ». Адрес: 308015, г. Белгород, ул. Победы, 85.

© Белгородский государственный национальный исследовательский университет, 2021

СОДЕРЖАНИЕ

03.02.04 – Зоология

5 Николаева А.М., Голуб В.Б.

Первое указание тополевой кружевницы *Monosteira unicostata* (Mulsant & Rey) (Heteroptera: Tingidae) из Ростовской области

12 Лелей А.С., Присный Ю.А.

Осы-немки (Hymenoptera: Mutillidae) Белгородской области, Россия

18 Годин А.Е.

К фауне чешуекрылых (Lepidoptera) в Белгородской области

25 Нумеров А.Д., Климов А.С., Труфанова Е.И.

Материалы к изучению фауны наземных позвоночных Каменной степи (Таловский район, Воронежская область)

53 Лада Г.А.

Изменения популяционных систем зеленых лягушек (*Pelophylax esculentus* complex) на территории Русской равнины

03.02.08 – Экология

64 Мейсурова А.Ф., Нотов А.А.

О проблеме оценки индикаторной способности близкородственных видов лишайников по данным спектрального анализа

03.02.14 – Биологические ресурсы

74 Ткаченко К.Г.

Комплементарные методы изучения ресурсных видов растений в полевых и стационарных условиях

FIELD BIOLOGIST JOURNAL

2021. Volume 3, No. 1

Published since 2019

Founder:

Federal state autonomous educational establishment of higher education "Belgorod National Research University".

Publisher:

Belgorod National Research University «BelsU» Publishing House. Address of editorial office, publisher: 85 Pobeda St, Belgorod, 308015, Russian Federation

EDITORIAL BOARD

Chief editor

Vladimir I. Cherniavskih, Doctor of Agricultural Sciences, Associate Professor, Professor of Department of Biology of the National Research University "BelsU", (Belgorod, Russia)

Deputies of chief editor

Viktor B. Golub, Doctor of Biological Sciences, Professor, Head of Department of Zoology and Parasitology of Voronezh State University (Voronezh, Russia)

Elena V. Dumacheva, Doctor of Biological Sciences, Associate Professor, Professor of the Department of Biology of the National Research University "BelsU", (Belgorod, Russia)

Natalya M. Reshetnikova, Doctor of Biological Sciences, Senior Researcher of N.V. Tsitsin Main Botanical Garden (RAS) (Moscow, Russia)

Responsible secretary

Yuri A. Prisniy, Candidate of Biological Sciences, Associate Professor, Associate Professor of Department of Biology of Belgorod National Research University (Belgorod, Russia)

Members of Editorial Board

Vasiliy V. Anikin, Doctor of Biological Sciences, Professor, Professor of Department of Animal Morphology and Ecology of Saratov State University named after N.G. Chernyshevsky, Saratov, Russia

Sergey V. Dedyukhin, Doctor of Biological Sciences, Associate Professor, Professor of Department of Botany, Zoology and Bioecology of Udmurt State University, Izhevsk, Udmurt Republic, Russia

Georgiy A. Lada, Doctor of Biological Sciences, Associate Professor, Professor of Department of Biology and Biotechnology of Derzhavin Tambov State University, Tambov, Russia

Aleksander A. Notov, Doctor of Biological Sciences, Professor, Professor of Department of Botany of Tver State University, Tver, Russia

Alexander A. Prokin, Candidate of Biological Sciences, Senior Researcher of I.D. Papanin Institute of Biology of Inland Waters (RAS), Borok, Yaroslavl Region, Russia

Lutfullo Kh. Yoziev, Doctor of Biological Sciences, Professor, Head of Department of Botany and Ecology of Faculty of Natural Sciences of Karshi State University, Karshi, Uzbekistan

Nikolay I. Sidelnikov, Doctor of Agricultural Sciences, Academician of Russian Academy of Sciences, Director of All-Russian Research Institute of Medicinal and Aromatic Plants, Moscow, Russia

The journal has been registered at the Federal service for supervision of communications information technology and mass media (Roskomnadzor). Mass media registration certificate ПИ № ФС 77 – 73475 from 17 August 2018.
Publication frequency: 4 /year.

Commissioning Editor L.P. Kokhanova. Pag Proofreading, computer imposition O.G. Tomusyak. On cover of journal - "*Eptesicus serotinus* (Schreber, 1774) (Belgorod, Russia, November 2019)" (photo by Yu.A. Prisniy). Typefaces Times New Roman, Arial, Impact. Publisher's signature 6,2. Date of publishing 30.03.2021. The layout was prepared by the Department of the joint editorial Board of scientific journals of NRU "BelsU". Address: 85 Pobeda St, Belgorod, 308015, Russia

CONTENTS

03.02.04 – Zoology

- 5 **Nikolaeva A.M., Golub V.B.**
The First Record of *Monosteira unicostata* (Mulsant & Rey)
(Heteroptera: Tingidae) from Rostov Region, Russia
- 12 **Lelej A.S., Prisniy Yu.A.**
The Velvet ants (Hymenoptera: Mutillidae) of Belgorod Region, Russia
- 18 **Godin A.E.**
To the Fauna of Lepidoptera in the Belgorod Region, Russia
- 25 **Numerov A.D., Klimov A.S., Trufanova E.I.**
Materials for Studying of the Fauna of Terrestrial Vertebrates of the Kamennaya Step'
(Talovskiy District, Voronezh Region, Russia)
- 53 **Lada G.A.**
Dynamics of Population Systems of Green Frogs (*Pelophylax esculentus* complex)
on the Territory of the Russian Plain

03.02.08 – Ecology

- 64 **Meysurova A.F., Notov A.A.**
The Estimation Problem of Indicator Ability of Closed Related Lichen's Species
Based on Spectral Analysis

03.02.14 – Biological resources

- 74 **Tkachenko K.G.**
Complementary Methods for Studying Resource Plant Species in Field
and Stationary Conditions

УДК 595.794.21 (470.325)
DOI 10.18413/2658-3453-2021-3-1-12-17

The Velvet ants (Hymenoptera: Mutillidae) of Belgorod Region, Russia

Arkady S. Lelej¹, Yuri A. Prisniy²

¹Federal Scientific Center of the East Asia Terrestrial Biodiversity,
Far East Branch of the Russian Academy of Sciences,
159 100-letiya Vladivostoka Ave, Vladivostok, 690022, Russian Federation

²Belgorod National Research University,
85 Pobedy St, Belgorod, 308015, Russian Federation
E-mail: lelej@biosoil.ru; prisniy_y@bsu.edu.ru

Abstract. The list of ten recorded and three possible species of velvet ants Belgorod Region is given. *Nemka viduata viduata* (Pallas, 1773) is newly recorded from Central Zone of European part of Russia and occurrence of *Ronisia brutia brutia* (Petagna, 1787) in this zone is confirmed. For these species and *Smicromyrme sicanus* (De Stefani 1887), *Dasylabris maura sungora* (Pallas, 1773) and *D. regalis* (Fabricius, 1793) Belgorod Region is the northern border of their distribution in the Central Zone of European part of Russia.

Keywords: Mutillidae, Eastern Europe, European part of Russia, Central Russian Upland.

For citation: Lelej A.S., Prisniy Yu.A. 2021. The Velvet ants (Hymenoptera: Mutillidae) of Belgorod Region, Russia. *Field Biologist Journal*, 3 (1): 12–17. DOI: 10.18413/2658-3453-2021-3-1-12-17

Received February 1, 2021

Осы-немки (Hymenoptera: Mutillidae) Белгородской области, Россия

А.С. Лелей¹, Ю.А. Присный²

¹Федеральный научный центр биоразнообразия наземной биоты Восточной Азии ДВО РАН,
Россия, 690022, г. Владивосток, пр-т 100-летия Владивостока, 159

²Белгородский государственный национальный исследовательский университет,
Россия, 308015, г. Белгород, ул. Победы, 85
E-mail: lelej@biosoil.ru; prisniy_y@bsu.edu.ru

Аннотация. Приводен список из десяти зарегистрированных и трех возможных видов ос-немок (сем. Mutillidae), обитающих на территории Белгородской области. Вид *Nemka viduata viduata* (Pallas, 1773) впервые отмечен в Центральной зоне европейской части России, и подтверждено наличие в этой зоне *Ronisia brutia brutia* (Petagna, 1787). Для указанных видов, а также для *Smicromyrme sicanus* (De Stefani 1887), *Dasylabris maura sungora* (Pallas, 1773) и *D. regalis* (Fabricius, 1793) Белгородская область является северной границей их распространения в Центральной зоне европейской части России.


Ключевые слова: Mutillidae, Восточная Европа, Европейская часть России, Среднерусская возвышенность.

Для цитирования: Lelej A.S., Prisniy Yu.A. 2021. The Velvet ants (Hymenoptera: Mutillidae) of Belgorod Region, Russia. *Field Biologist Journal*, 3 (1): 12–17. DOI: 10.18413/2658-3453-2021-3-1-12-17

Поступила в редакцию 1 февраля 2021 года

Introduction

Belgorod Region is situated between $49^{\circ}41'$ and $51^{\circ}26'$ of northern latitude and $35^{\circ}20'$ and $39^{\circ}16'$ of eastern longitude. The area of Belgorod Region is $27\ 100\ km^2$; the distance from the most northern point to the most southern one is 190 km; that from east to west is 270 km. The Belgorod Region is located on the south-west of the Central Zone of European part of Russia (Central Russian Upland) and border with Kursk and Voronezh Regions on the north and west and with Lugansk, Kharkov and Sumy Regions of Ukraine on the south and west. Two major habitat zones can be recognized in Belgorod Region: true steppes and forest steppes, the latter includes southern and central subzone [Prisniy, 2000, 2005; Avramenko et al., 2007] (see Figure).



Belgorod Region (maps from Google): on the insert marked with oblique stripes in the Eastern Europe;
1–16 – collecting sites (see in text) in 1975–2020; FS C Sz – forest steppes, central subzone;

FS S Sz – forest steppes, southern subzone; SZ – true steppes zone

Белгородская область (карты из Google): на вставке обозначена косыми полосами на территории

Восточной Европы; 1–16 – пункты сбора ос-немок (см. в тексте) в 1975–2020 гг.;

FS C Sz – центральная подзона лесостепи; FS S Sz – южная подзона лесостепи; SZ – степная зона

Most velvet ants, or mutillids, are solitary ectoparasitoids of the enclosed immatures (usually larvae or pupae) of other insects, mainly bees and wasps, rarely flies, beetles, or moth [Brothers et al., 2000; Amini et al., 2014]. Because of Mutillidae are thermophilic group the number of taxa (genera and species) are dramatically reduced from south to north. Number of the valid taxa: World – 220 genera, more than 4600 species, Palaearctic – 61/525, Russia – 20/74, Centre of the European part of Russia – 7/9 [Lelej, 2017; Pagliano et al., 2020]. In the last used geoscheme for Russia [Belokobylskij and Lelej, 2019] Belgorod Region belongs to the Central Zone of European part. There is no special research on Mutillidae of the Belgorod Region, but information about 8 species of velvet ants in the south of the Central Russian Upland was given in the monograph by A.V. Prisniy [2003] and three species are included in the Red Data Book of the Belgorod Region [2019]. An updated list of Mutillidae from this area is given.

Material and methods

This paper based on the material collected in 1975–2020 (mainly by A.V. Prisniy and Yu.A. Prisniy) which is deposited in the collection of the Belgorod State University. The material was collected by net and pitfall traps. The scientific names of the species as their distribution outside of Belgorod Region follow Lelej [2017].

The mutillids were collected in the next sites of the Belgorod Region (see Fig.): Yankovlevskiy district: **1.** vicinity of Tomarovka village (5 km to the east and southeast); Prokhorovskiy district: **2.** vicinity of Belenikhino village; Gubkinskiy district: **3.** vicinity of Sergiyevka village; **4.** vicinity of Dubravka village; Starooskol'skiy district: **5.** vicinity of Kotenevka village; **6.** vicinity of Nizhne-Chufichevo village; Belgorodskiy district: **7.** Belgorod and vicinity; Korochanskiy district: **8.** vicinity of Afanasovo village; Chernyanskiy district: **9.** vicinity of Kochegury village; Shebekinskiy district; **10.** vicinity of Malomikhaylovka village, preserve «Bekaryukovskiy bor»; Novooskol'kiy district: **11.** vicinity of Makeshkino village, «Stenki-Izgorya» area of Belogorye State Nature Reserve; **12.** vicinity of Nechayevka village, natural boundary «Khanova balka»; Volokonovskiy district: **13.** vicinity of Volokonovka urban village; Valuyskiy district: **14.** vicinity of Nizhniye Mel'nitsy village; Roven'skiy district: **15.** vicinity of Roven'ki urban village, «Aydarskiy» section of Natural Park «Roven'skiy» (natural boundary «Kalyuzhniy Yar»); **16.** vicinity of Nizhnyaya Serebryanka village, «Nizhneserebryanskiy» section of Natural Park «Roven'skiy». Specimens examined: 63♀ and 11♂ in total.

Results

Annotates list below includes ten recorded species and three possible species which widely distributed in the Central Zone of European part of Russia.

Subfamily Myrmosinae

1. *Myrmosa atra atra* Panzer, 1801

MATERIAL EXAMINED. **1:** VII.1986, near road, 1♀; **4:** 28.VIII.2020, natural boundary «Dyomin les», steppified valley slope, pitfall traps, 1♀.

2. *Paramyrmosa brunnipes* (Lepeletier, 1845)

MATERIAL EXAMINED. **7:** 02.VIII.1977, clay valley slope, 1♀; 23.VII.1997, natural boundary «Sosnovka», meadow in pine forest, 1♀; **11:** 26.VI.1999, chalk slope near southwestern edge of upland oakery, 3♂.

Subfamily Dasylabrinae

3. *Dasylabris (Baltilla) adversa* Skorikov, 1935

MATERIAL EXAMINED. **15:** 08.VII.2008, 1♂.

4. *Dasylabris (Dasylabris) maura sungora* (Pallas, 1773)

MATERIAL EXAMINED. **13:** ??1975, 1♀.

REMARK. This species is included in Red Data Book [2019] and did not find in last time.

5. *Dasylabris (Inbaltilla) regalis* (Fabricius, 1793)

MATERIAL EXAMINED. **15:** 02.VIII.2009, 1♀ (leg Ya.N. Kovalenko).

REMARK. This species is included in Red Data Book [2019].

Subfamily Myrmillinae

6. *Myrmilla (Pseudomutilla) glabrata* (Fabricius, 1775)

MATERIAL EXAMINED. **1:** 12.VII.1992, valley slopes, steppified meadow, 1♀; **5:** 24.VII.2020, valley slopes, chalk outcrops, pitfall traps, 2♀; 27.VIII.2020, valley slopes, chalk outcrops, pitfall traps, 2♀ и 2♂; **6:** 23.VII.2020, calciphyte steppe, pitfall traps, 9♀ и 2♂;

27.VIII.2020, calciphyte steppe, pitfall traps, 3♀ и 1♂; 7: 18.V.1988, valley, chalk slope, 1♀; ??1992, 1♀; 28.VI.1992, southern exposure slopes along left bank of Vezelitsa River, 1♀; VI.2000, Botanical Garden of Belgorod National Research University, pitfall traps, 4♀; VI–X.2000, same place, pitfall traps, 1♀; 24.VII.2003, valley slopes, steppified meadow, 1♀; 8: 11.VIII.1992, southern exposure slopes near edge of forest, 1♀; 10: 08.VII.2003, 1♀; 12: 14.VII.2000, chalk outcrops, pitfall traps, 1♀ (leg A.V. Gusev); 14: 13.VII.2004, bank of Oskol River, chalk slope, 1♀.

Subfamily Mutillinae

7. *Nemka viduata viduata* (Pallas, 1773)

MATERIAL EXAMINED. 6: 23.VII.2020, calciphyte steppe, pitfall traps, 1♀; 27.VIII.2020, calciphyte steppe, pitfall traps, 1♀; 15: 21.VIII.2001, bank of Aydar River, sand quarry, 3♀; 10.VII.2003, 1♀.

REMARK. This species is newly recorded from the Central Zone of European part of Russia.

8. *Physetopoda halensis* (Fabricius, 1787)

REMARK. This species is widely distributed in the European part of Russia including Central Zone (Lelej, 2017) and can be found in Belgorod Region.

9. *Smicromyrme (Erimyrme) sicanus* (De Stefani, 1887)

MATERIAL EXAMINED. 6: 23.VII.2020, calciphyte steppe, pitfall traps, 4♀; 27.VIII.2020, calciphyte steppe, pitfall traps, 1♀; 9: 23.X.2007, meadow, pitfall traps, 1♀; 15: 08.VII.2008, 1♀.

REMARK. This species is included in Red Data Book [2019].

10. *Smicromyrme (Smicromyrme) rufipes* (Fabricius, 1787)

MATERIAL EXAMINED. 3: 14.VI–14.VII.2007, forest, pitfall traps, 1♀; 7: 03.VII.1986, natural boundary «Sosnovka», pine forest, 1♂; VI.1993, 1♀; VI.2000, Botanical Garden of Belgorod National Research University, pitfall traps, 2♀; 11: 26.VI.1999, chalk slope near south-western edge of upland oakery, 1♀; 12: 19.XI.2000, chalk outcrops, pitfall traps, 1♀ (leg A.V. Gusev); 15: 10.VII.2003, 1♀; 17: 15.VIII.2006, chalk outcrops, 1♀.

11. *Mutilla europaea* Linnaeus, 1758

REMARK. This species is the parasite of *Bombus* spp., widely distributed in the European part of Russia, including Central Zone [Lelej, 2017] and can be found in Belgorod Region.

12. *Mutilla marginata* Baer, 1848

REMARK. This species is the parasite of *Bombus* spp., widely distributed in the European part of Russia, including Central Zone [Lelej, 2017] and can be found in Belgorod Region.

13. *Ronisia brutia brutia* (Petagna, 1787)

MATERIAL EXAMINED. 1: IX.2000, 1♀; 2: 09.VIII.2011, 1♀; 7: 06.VII.2002, clay quarry, 1♀; 01.XI.2012, chalk mountain, chalk outcrops, 1♀ (leg A.A. Sychev); 24.VII.2003, meadow behind Belgorod State Technological University, 1♀; 16: 12.VIII.2011, bank of Aydar River, edge of pine forest, 1♀ и 1♂.

REMARK. This species was included in the Red Data Book of the Tambov Region [Ishin, 2012], based on material: Tambov Region, Rzhaksinskiy district, vicinity of Bolshaya Rzhaksa village, 13.VIII.1997, field road, steppified valley slope, meadow steppe, 1♀ [Belevitin, Ishin, 1999]. Our material confirms the distribution of this species in the Central Zone of European part of Russia.

Discussion

In the table below we give the update distribution of the recorded and possible mutillid species of Belgorod Region in the European part of Russia.

Mutillidae of Belgorod Region. Update distribution in the European part of Russia
Осы-немки (сем. Mutillidae) Белгородской области. Обновленные данные распространения видов
в европейской части России

№	Subfamilies/species/ subspecies	EE	NT	NWT	CT	ET	ST	NC	CR
	Myrmosinae								
1	<i>Myrmosa atra atra</i> Panzer, 1801	+	+	+	+	+	+	+	+
2	<i>Paramyrmosa brunnipes</i> (Lepeletier, 1845)	+			+		+	+	+
	Dasylabrinae								
3	<i>Dasylabris (Baltilla) adversa</i> Skorikov, 1935	+			+	+	+	+	
4	<i>Dasylabris</i> (s. str.) <i>maura sungora</i> (Pallas, 1773)				+	+	+	+	
5	<i>Dasylabris (Inbaltilla) regalis</i> (Fabricius 1793)	+			*	+	+	+	+
	Myrmillinae								
6	<i>Myrmilla (Pseudomutilla) glabrata</i> (Fabricius, 1775)	+			+	+	+	+	+
	Mutillinae								
7	<i>Nemka viduata viduata</i> (Pallas, 1773)	+			**	+	+	+	+
8	<i>Physetopoda halensis</i> (Fabricius, 1787)	+			+	+	+	+	+
9	<i>Smicromyrme (Erimyrme) sicanus</i> (De Stefani 1887)	+			*		+		+
10	<i>Smicromyrme</i> (s. str.) <i>rufipes</i> (Fabricius, 1787)	+	+	+	+	+	+		+
11	<i>Mutilla europaea</i> Linnaeus, 1758	+	+	+	+	+		+	+
12	<i>Mutilla marginata</i> Baer, 1848	+	+	+	+	+			+
13	<i>Ronisia brutia brutia</i> (Petagna, 1787)	+			***	+	+	+	+

Notes. EE – Eastern Europe; European part of Russia: NT – North, NWT – North-West, CT – Centre, ET – East, ST – south, NC – North Caucasus, CR – Crimea; * – based on [Red Data Book, 2019]; ** – newly recorded species from Central Zone; *** – based on [Ishin, 2012] and current data.

Примечания. ЕЕ – Восточная Европа; европейская часть России: НТ – север, НВТ – северо-запад, СТ – центр, ЕТ – восток, СТ – юг, НС – Северный Кавказ, СР – Крым; * – по данным Красной книги [2019]; ** – новые данные для Центральной зоны; *** – на основе опубликованных данных [Ишин, 2012] и собственных сборов.

Myrmosa atra atra and *Paramyrmosa brunnipes* are recorded from the forest steppes. These species may occur in true steppes also because they are widely distributed in the European part of Russia.

Three species of genus *Dasylabris*: *D. adversa*, *D. regalis* и *D. maura sungora* occur in true steppes only. For these species Belgorod Region is a northern border of their distribution; furthermore *D. maura sungora* was not observed last time which may indicate a reduction in the range of this species.

Myrmilla glabrata, *Smicromyrme rufipes*, *S. sicanus*, *Nemka viduata viduata* and *Ronisia brutia brutia* habit in the forest steppes and true steppes. For three latter species Belgorod Region is a northern border of their distribution; *N. viduata viduata* and *S. sicanus* penetrate northward thanks to unique biotopes along the Oskol River.

References

1. Amini A., Lelej A.S., Sadeghi H., Karimi J. 2014. First record of the velvet ants (Hymenoptera: Mutillidae) reared from puparia of the ber fruit fly *Carpomya vesuviana* Costa (Diptera: Tephritidae) in Iran. *Zootaxa*, 3861 (6): 585–590.
2. Belevitin R.Yu., Ishin R.N. 1999. Finding a Velvet ant (*Mutilla brutia*) in the Tambov region. In: IV Derzhavin readings. Materials of a scientific conference of young scientists. Tambov, TSU named after G.R. Derzhavin: 22. (in Russian).
3. Belokobylskij S.A., Lelej A.S. 2019. Preface. In: Annotated catalogue of the Hymenoptera of Russia. Volume 2. Apocrita: Parasitica. Saint-Petersburg: 9–11. (Proceedings of the Zoological Institute RAS, Spl. №8).
4. Brothers D.J., Tschuch G., Burger F. 2000. Associations of mutillid wasps (Hymenoptera, Mutillidae) with eusocial insects. *Insectes Sociaux*, 47: 201–211.
5. Ishin R.N. 2012. *Ronisia brutia* (Petagna, 1787). In: Red Data Book of the Tambov region. The animals. Tambov, LLC "Yulis Publishing House": 176. (in Russian).
6. Lelej A.S. 2017. Family Mutillidae – Velvet ants. In: Annotated catalogue of the Hymenoptera of Russia. Volume 1. Symphyta and Apocrita: Aculeata. Saint-Petersburg: 152–158. (Proceedings of the Zoological Institute RAS, Spl. № 6).
7. Pagliano G., Brothers D.J., Cambra R., Lelej A.S., Lo Cascio P., Matteini Palmerini M., Scaramozzino P.L., Williams K.A. and Romano M. 2020 ["2018"]. Checklist of names in Mutillidae (Hymenoptera), with illustrations of selected species. *Bollettino del Museo Regionale di Scienze Naturali di Torino*, 36 (1–2): 5–425.
8. Prisniy A.V. 2000. Ecologo-geographical geoscheme for south of Central Russian Upland. *Belgorod State University Scientific Bulletin*, 3 (12): 10–20. (in Russian).
9. Prisniy A.V. 2003. Extrazonal groupings in the fauna of terrestrial insects in the south of the Central Russian Upland. Belgorod, 296 p. (in Russian).
10. Prisniy A.V. 2005. On the position of the border between the forest-steppe and the steppe within the Central Russian Upland. In: Study and preservation of natural ecosystems of reserves of the forest-steppe zone. Kursk: 46–50. (in Russian).
11. Red Data Book of the Belgorod Region. 2019. The plants, lichens, fungi and animals. 2nd edition (Prisniy Yu.A., ed.). Belgorod, Publishing house "BelsU" NRU "BelsU", 668 p. (in Russian).

ИНФОРМАЦИЯ ОБ АВТОРАХ

Лелей Аркадий Степанович, доктор биологических наук, профессор, заведующий лабораторией энтомологии Федерального научного центра биоразнообразия наземной биоты Восточной Азии ДВО РАН, г. Владивосток, Россия

Присный Юрий Александрович, кандидат биологических наук, доцент, доцент кафедры биологии Белгородского государственного национального исследовательского университета, г. Белгород, Россия

INFORMATION ABOUT THE AUTHORS

Arkady S. Lelej, Doctor of Biological Sciences, Professor, Head of the Laboratory of Entomology of Federal Scientific Center of the East Asia Terrestrial Biodiversity, Far East Branch of the Russian Academy of Sciences, Vladivostok, Russia

Yuri A. Prisniy, Candidate of Biological Sciences, Associate Professor, Associate Professor of the Department of Biology of Belgorod National Research University, Belgorod, Russia