

# Far Eastern Entomologist

Дальневосточный энтомолог

Journal published by Far East Branch  
of the Russian Entomological Society  
and Laboratory of Entomology,  
Institute of Biology and Soil Sciences,  
Vladivostok

Number 175: 1-18

ISSN 1026-051X

August 2007

## THE BEES OF FAMILY MEGACHILIDAE (HYMENOPTERA, APOIDEA) OF TRANSBAIKALIA

M. Yu. Proshchalykin

*Institute of Biology and Soil Science, Far East Branch of the Russian Academy  
of Sciences, Vladivostok-22, 690022, Russia*

The annotated list of 51 species in 11 genera of megachilid bees is given. Nine species: *Hoplitis robusta* (Nylander), *Osmia orientalis* Benoist, *Anthidium manicatum* (Linnaeus), *Coelioxys afra* Lepeletier, *C. emarginata* Förster, *C. polycentris* Förster, *C. rufescens* Lepeletier et Serville, *Megachile remota* Smith, and *M. lagopoda* (Linnaeus) are newly recorded from Transbaikalia. Patterns of megachilid diversity in the Russian Far East and Transbaikalia are discussed.

KEY WORDS. Hymenoptera, Apoidea, Megachilidae, bees, Transbaikalia.

**М. Ю. Прошалькин. Пчелы семейства Megachilidae (Hymenoptera, Apoidea) Забайкалья // Дальневосточный энтомолог. 2007. N 175. С. 1-18.**

Дается аннотированный список 51 вида пчёл из 11 родов. 9 видов: *Hoplitis robusta* (Nylander), *Osmia orientalis* Benoist, *Anthidium manicatum* (Linnaeus), *Coelioxys afra* Lepeletier, *C. emarginata* Förster, *C. polycentris* Förster, *C. rufescens* Lepeletier et Serville, *Megachile remota* Smith и *M. lagopoda* (Linnaeus) впервые указываются для фауны Забайкалья. Обсуждаются особенности разнообразия пчел-мегахилид на Дальнем Востоке России и в Забайкалье.

*Биологопочвенный институт, Дальневосточное отделение Российской академии наук, Владивосток-22, 690022, Россия.*

## INTRODUCTION

The Transbaikalia consists of three administrative regions of Russia (Fig. 1): Chitinskaya oblast', Republic of Buryatia (Buryatia) and part of Irkutskaya oblast' (Predbaikal'e..., 1965). *Megachile baicalica* Kokujev, 1927 (=*M. fulvimana* Eversmann, 1852), *M. laponica* Thomson, 1872, *M. dacica* Mocsáry, 1879, and *Anthidium punctatum* var. *fulvipes* Friese, 1897 (=*A. punctatum* Latreille, 1809) were the first four megachilid species, which have been recorded from the Transbaikalia (Buryatia) (Kokujev, 1927). The distribution data on bee species from the Transbaikalia have been published in the next papers: Cockerell, 1928; Popov, 1946, 1964; Romankova, 1992, 1994, 1995, 2003; Banaszak & Romasenko, 1998; Davydova & Pesenko, 2002; Proshchalykin, 2003, 2006, 2007; Proshchalykin et al., 2004; Proshchalykin & Kupianskaya, 2005. Forty-two species of megachilid bees have been recorded from the Transbaikalia until now.



Fig. 1. The collecting places of the bees in Transbaikalia.

This study is based on more than 350 megacilid specimens. This material deposit in the collections of the Institute of Biology and Soil Science, Russian Academy of Sciences, Vladivostok [IBSS], Zoological Institute, Russian Academy of Sciences, St. Petersburg [ZISP], Zoological Museum of Moscow University [ZMMU], Institute of General and Experimental Biology, Russian Academy of Sciences, Ulan-Ude [IGBU], Institute of Animal Systematic and Ecology, Russian Academy of Sciences, Novosibirsk [ISEN], and I.I. Schmalgausen Institute of Zoology of National Academy

of Sciences of Ukraine, Kiev [IZK]. The classification of bees follows C. Michener (2007), the distribution of bees follows J. Banaszak, L. Pomasenko (1998) and M. Proshchalykin (2007). Next acronyms are used for the collectors: AL – A.S. Lelej, DK – D.R. Kasparyan, MP – M.Yu. Proshchalykin, SR – S.G. Rudykh, TR – T.G. Romankova, VL – V.M. Loktionov, YP – Yu.A. Pesenko. New records in the distribution section are asterisked (\*).

The work described here was supported in part by the grant of Far Eastern Branch of Russian Academy of Sciences No 06–III–B–195.

## LIST OF THE SPECIES

### 1. *Chelostoma (Gyrodromella) rapunculi* (Lepeletier, 1841)

*Heriades rapunculi* Lepeletier, 1841: 406.

*Osmia archanensis* Cockerell, 1928: 353.

*Chelostoma fuliginosum*: Romankova, 1992: 145.

SPECIMENS EXAMINED. **Buryatia:** Ivolginskii datsan, 17.VII 1991, 1♀ (TR).

DISTRIBUTION. Russia: Buryatia; Khabarovskii krai, Amurskaya oblast', Sakhalin, European part. – Kazakhstan, Turkmenia, Asia Minor, Europe, Caucasus, North-Eastern America.

### 2. *Hoplitis (Alcidamea) leucomelana* (Kirby, 1802)

*Osmia leucomelana* Kirby, 1802: 260.

*Hoplitis parvula*: Romankova, 1992: 146; 1995: 536.

*Hoplitis leucomelana*: Proshchalykin, 2007: 890.

SPECIMENS EXAMINED. **Buryatia:** Ivolginskii datsan, 17.VII 1991, 1♀ (TR). **Chitinskaya oblast':** Kaidalovka, 4.VII 1912, 1♂ (Valueva); Kyra, 24.VI 1975, 1♀ (DK); Bylyra, 23.VI 1975, 1♀ (DK); Tsasuchei, 16.VII 1990, 1♀ (TR); Telemba, 10.VI 1991, 2♀ (TR); 20 km SSE Krasnokamensk, 4, 6.VIII 2007, 1♀ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Altai, European part. – Mongolia, Europe, North Africa.

### 3. *Hoplitis (Alcidamea) scita* (Eversmann, 1852)

*Osmia scita* Eversmann, 1852: 63.

*Hoplitis scita*: Romankova, 1992: 146; 1994: 120; 1995: 536; Proshchalykin, 2007: 891.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, 7.VI 1961, 1♀.

DISTRIBUTION. Russia: Buryatia, Irkutskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai. – Mongolia, North-Eastern China.

**4. \**Hoplitis (Formicapis) robusta* (Nylander, 1848)**

*Heriades robusta* Nylander, 1848: 270.

SPECIMENS EXAMINED. **Chitinskaya oblast'**: Bylyra, 23.VI 1975, 1♀ (DK); 65 km SE Chita, Kadakhta, 5.VI 1994, 2♀ (YP).

DISTRIBUTION. Russia: \*Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast. – Mongolia, Europe, North America.

**5. *Hoplitis (Megalosmia) fulva* (Eversmann, 1852)**

*Osmia fulva* Eversmann, 1852: 62.

*Hoplitis fulva*: Romankova, 1992: 146; 1995: 535.

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Transbaikalia, European part. – Asia Minor, Europe, Caucasus, Kazakhstan, China.

**6. *Hoplitis (Megalosmia) princeps* (Morawitz, 1872)**

*Osmia princeps* Morawitz, 1872: 54.

*Hoplitis princeps*: Romankova, 1995: 535.

SPECIMENS EXAMINED. **Buryatia**: Gusinoe Lake, Baraty, 26.VII 2007, 1♂ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia; Ural, European part. – China, Mongolia, Europe.

**7. *Hoplitis (Monumetha) tuberculata* (Nylander, 1848)**

*Osmia tuberculata* Nylander, 1848: 263.

*Hoplitis tuberculata*: Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Guba Ayaya, 15.VIII 1923, 1♂ (Turov);

Nizhneangarsk, 1-4.VII 1954, 1♂ (Popov); Gusinoe Lake, 7.VI 1961, 1♂.

**Chitinskaya oblast'**: Chita, 19.VI 1990, 1♀ (TR); Telemba, 10.VI 1991, 6♀, 1♂ (TR); Preobrazhenka, 12.VI 1991, 1♂ (TR); Zurmenskii Pass, 15.VI 1991, 1♂ (TR); Sokhondinskii Reserve, 20.VI 1991, 1♂ (Zakharov); Titovskaya Mt., 3, 7.VI 1994, 2♂ (YP); 65 km SE Chita, Kadakhta, 5.VI 1994, 1♀ (YP).

DISTRIBUTION. Russia: **Buryatia**, Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast', Altai, European part. – Europe.

**8. *Osmia (Helicosmia) leaiana* (Kirby, 1802)**

*Apis leaiana* Kirby, 1802: 263.

*Osmia confusa*: Romankova, 2003: 2.

*Osmia leaiana*: Proshchalykin et al., 2004: 165; Proshchalykin, 2007: 892.

SPECIMENS EXAMINED. **Chitinskaya oblast'**: Yablonevyi Ridge, 20.VII 1990, 1♀ (TR).

DISTRIBUTION. Russia: Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Khabarovskii krai, Sakhalin, European part. – North Kazakhstan, North Tadzhikistan, Europe.

**9. \**Osmia (Helicosmia) orientalis* Benoist, 1929**

*Osmia orientalis* Benoist, 1929: 142.

SPECIMENS EXAMINED. **Chitinskaya oblast'**: 55 km SW Chita, Yablonevyi Ridge, 4.VI 1984, 1♂ (YP).

DISTRIBUTION. Russia: \*Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin. – Japan (Honshu, Shikoku, Kyushu).

**10. *Osmia (Melanosmia) maritima* Friese, 1885**

*Osmia maritima* Friese, 1885: 85; Proshchalykin, 2007: 892.

SPECIMENS EXAMINED. **Buryatia**: Ulan-Ude, 26.V 1993, 1♀, 26.V 2006, 1♀ (SR); 10 km E Srednii Ubukun, 13.V 1998, 1♀ (SR). **Chitinskaya oblast'**: Titovskaya Mt., 3.VI 1994, 3♀ (YP); 55 km SW Chita, Yablonevyi Ridge, 4.VI 1994, 2♀ (YP).

DISTRIBUTION. Russia: **Buryatia**, Chitinskaya oblast'; Yakutia, Kamchatskii krai, Khabarovskii krai, Primorskii krai, Sakhalin, European part. – Central and North Europe.

**11. *Osmia (Melanosmia) nigriventris* (Zetterstedt, 1838)**

*Anthophora nigriventris* Zetterstedt, 1838: 465.

*Osmia nigriventris*: Romankova, 1984: 362.

*Osmia nigriventralis* (sic!): Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Dzhida, 13.VII 1943, 2♀ (Zhelokhovtsev).

DISTRIBUTION. Russia: Buryatia; Yakutia, Magadanskaya oblast', Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, North Ural, European part. – Europe.

**12. *Osmia (Melanosmia) uncinata* Gerstaecker, 1869**

*Osmia uncinata* Gerstaecker, 1869: 336; Romankova, 1992: 146 (Chitinskaya oblast'); 1995: 537; Proshchalykin, 2007: 892.

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Chitinskaya oblast', Irkutskaya oblast', Yakutiya, Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Europe.

**13. *\*Anthidium (Anthidium) manicatum* (Linnaeus, 1758)**

*Apis manicata* Linnaeus, 1758: 577.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 1♀ (AL, MP, VL).

DISTRIBUTION. Russia: \*Buryatia; European part. – Europe, Middle and North Asia, Caucasus, North Africa, North and South America.

**14. *Anthidium (Anthidium) punctatum* Latreille, 1809**

*Anthidium punctatum* Latreille, 1809: 43; Romankova, 1992: 145.

*Anthidium punctatum* var. *fulvipes*: Kokujev, 1927: 75.

SPECIMENS EXAMINED. **Buryatia:** Chivyrkuiskii Gulf, 1954, 1♀ (Popov); Ivolginskii datsan, 24.VII 1990, 3♂ (TR); Ulan-Ude, 26.VII 1990, 2♂ (TR); 10 km E Ulan-Ude, 7.VII 2006, 1♂ (SR); Gusinoe Lake, Baraty, 26.VII 2007, 2♂ (AL, MP, VL); Dzhida, 28.VII 2007, 4♀, 2♂ (AL, MP, VL); Naushki, 2.VIII 1984, 1♀ (AL); the same place, 30.VII 2007, 1♂ (AL, MP, VL). **Chitinskaya oblast':** Kyra, 24.VI 1975, 1♂ (DK); Peschanka, 28.VII 1984, 1♀ (AL); Tsasuchei, 17.VII 1990, 1♀, 5♂ (TR); 20 km SE Tsasuchei, 18.VII 1990, 1♀ (TR); 20 km SSE Krasnokamensk, 4, 6.VIII 2007, 2♂ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast', Irkutskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – North China, Mongolia, North Kazakhstan, Central Asia, Caucasus, Europe, North Africa.

**15. *Anthidium (Anthidium) septemspinosum* Lepeletier, 1841**

*Anthidium septemspinosum* Lepeletier, 1841: 359; Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia:** Kyakhta, 17.VII 1965, 1♀; Naushki, 5.VIII 1984, 1♀ (AL); Ivolginskii datsan, 24.VII 1990, 1♂ (TR); Ulan-Ude, 26.VII 1990, 1♀ (TR).

DISTRIBUTION. Russia: Buryatia; Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Japan (Honshu), Korea, Mongolia, North Kazakhstan, Europe.

**16. *Anthidium (Anthidium) comatum* Morawitz, 1896**

*Anthidium comatum* Morawitz, 1896: 164; Romankova, 1992: 145.

SPECIMENS EXAMINED. **Buryatia:** Boyarskii, 11.VII 1984, 1♂ (AL); Ivolginskii datsan, 24.VII 1990, 5♂ (TR). **Chitinskaya oblast':** Peschanka, 28.VII 1984, 1♀ (AL); 55 km E Beklemishevki, 20.VII 1990, 1♀ (TR); Gusinoe Lake, Baraty, 25.VII 2007, 1♀ (AL, MP, VL); Dzhida, 28.VII 2007, 2♀ (AL, MP, VL); Naushki, Selenga River, 30.VII 2007, 1♀, 1♂ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Europe.

**17. *Anthidiellum (Anthidiellum) strigatum* (Panzer, 1805)**

*Trachusa strigata* Panzer, 1805: 14.

*Anthidiellum strigatum*: Romankova, 1992: 145.

SPECIMENS EXAMINED. **Buryatia:** Kyakhta, 27.VII 1977, 1♀ (Lehr), the same place, 28.VII 1977, 2♀ (AL); Ivolginskii datsan, 24.VII 1990, 3♀, 5♂ (TR); Ulan-Ude, 26.VII 1990, 1♀ (TG); Kalenovo, 28.VII 1990, 1♂ (TR); Gusinoe Lake, Baraty, 26.VII 2007, 1♂ (AL, MP, VL). **Chitinskaya oblast':** 12 km N Darasun, Tura River, 26.VI 1975, 1♀ (DK).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Korea, West Kazakhstan, Europe, North Africa.

**18. *Bathanthidium (Stenanthidiellum) sibiricum* (Eversmann, 1852)**

*Anthidium sibiricum* Eversmann, 1852: 79.

*Dianthidium sibiricum*: Romankova, 1992: 145.

SPECIMENS EXAMINED. **Buryatia:** Ulan-Ude, 26.VII 1990, 2♀ (TG); **Chitinskaya oblast':** Bylyra, 23.VI 1975, 1♂ (DK); Peschanka, 28.VII 1984, 1♀ (AL); Chita, 19.VII 1990, 2♀, 3♂ (TR).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai. – Korea, North-East China.

**19. *Stelis (Stelis) aculeata* Morawitz, 1880**

*Stelis aculeata* Morawitz, 1880: 374; Romankova, 1992: 146; 1995: 533.

SPECIMENS EXAMINED. **Buryatia:** 5 km N Haushki, Kharankhoi, 3.VIII 1977, 1♀ (Lehr); Naushki, 2.VIII 1984, 4♀ (AL); 7 km N Ulan-Ude, 13.VI 1996, 1♀ (SR).

DISTRIBUTION. Russia: Buryatia. – Central and Middle Asia.

**20. *Stelis (Stelis) melanura* Cockerell, 1924**

*Stelis atterima melanura* Cockerell, 1924: 526.

*Stelis melanura*: Proshchalykin, 2007: 894.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 1♀ (AL, MP, VL); Naushki, Selenga River, 30.VII 2007, 3♀ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Irkutskaya oblast'; Khabarovskii krai, Primorskii krai.

**21. *Trachusa (Trachusa) byssina* (Panzer, 1798)**

*Apis byssina* Panzer, 1798: 21.

*Trachusa byssina*: Popov, 1964: 409; Romankova, 1992: 146 (Tsasuchei); Proshchalykin, 2007: 894.

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Chitinskaya oblast', Irkutskaya oblast'; Khabarovskii krai, Amurskaya oblast', European part. – Mongolia, Europe.

**22. *Aglaopasis tridentata* (Nylander, 1848)**

*Coelioxys tridentata* Nylander, 1848: 254

*Dioxoides tridentatus*: Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia:** Dzhida, 28.VII 2007, 3♀ (AL, MP, VL); Naushki, Selenga River, 30.VII 2007, 1♀ (AL, MP, VL). **Chitinskaya oblast':** 20 km SE Tsasuchei, 18.VII 1990, 1♀, 1♂ (TR).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast', Irkutskaya oblast'; Primorskii krai, European part. – Asia Minor, Europe, Caucasus.

**23. \**Coelioxys (Allococoelioxys) afra* Lepeletier, 1841**

*Coelioxys afra* Lepeletier, 1841: 525.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 4♂ (AL, MP, VL).

DISTRIBUTION. Russia: \*Buryatia; Khabarovskii krai, European part. – North-Eastern China, West Europe, North Africa.

**24. \**Coelioxys (Allococoelioxys) emarginata* Förster, 1853**

*Coelioxys emarginata* Förster, 1853: 288.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 1♀, 1♂ (AL, MP, VL).

DISTRIBUTION. Russia: \*Buryatia; Amurskaya oblast', Primorskii krai, European part. – China, Turkmenistan, Europe.

**25. \**Coelioxys (Allococoelioxys) polycentris* Förster, 1853**

*Coelioxys polycentris* Förster, 1853: 282.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 1♀ (AL, MP, VL).

DISTRIBUTION. Russia: \*Buryatia; European part. – Europe.

**26. *Coelioxys (Coelioxys) alata* Förster, 1853**

*Coelioxys alata* Förster, 1853: 296; Romankova, 1992: 146.

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Transbaikalia; Irkutskaya oblast', Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Europe.

**27. *Coelioxys (Coelioxys) conoidea* (Illiger, 1806)**

*Anthophora conoidea* Illiger, 1806: 105.

*Coelioxys conoidea*: Romankova, 1992: 145; 1995: 547; Proshchalykin, 2006: 322; 2007: 895.

SPECIMENS EXAMINED. **Buryatia**: Boyarskii, 6.VIII 1977, 1♀ (AL); Naushki, 2.VIII 1984, 4♀ (AL), 30.VII 2007, 2♀ (AL, MP, VL); Gusinoe Lake, Baraty, 25.VII 2007, 1♂ (AL, MP, VL); Dzhida, 28.VII 2007, 2♀ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia; Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Europe.

**28. *Coelioxys (Coelioxys) elongata* Lepeletier, 1841**

*Coelioxys elongata* Lepeletier, 1841: 522; Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Gusinoe Lake, Baraty, 25.VII 2007, 1♀ (AL, MP, VL). **Chitinskaya oblast'**: 20 km SSE Krasnokamensk, 4.VIII 2007, 3♀ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, European part. – Europe.

**29. *Coelioxys (Coelioxys) inermis* (Kirby, 1802)**

*Apis inermis* Kirby, 1802: 229.

*Coelioxys inermis*: Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Boyarskii, 6.VIII 1977, 3♀ (AL); Gusinoe Lake, Baraty, 6.VIII 1984, 1♀ (AL). **Chitinskaya oblast'**: 42 km SW Borzi, Durbachi, 23.VII 1984, 1♀ (AL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, European part. – Europe.

**30. *Coelioxys (Coelioxys) lanceolata* Nylander, 1852**

*Coelioxys lanceolata* Nylander, 1852: 279; Romankova, 1992: 146 (Ulan-Ude, Tsasuchei, Borzya).

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Transbaikalia; Irkutskaya oblast', Yakutia, Kamchatskii krai, Amurskaya oblast', European part. – Western Europe.

**31. *Coelioxys (Coelioxys) mandibularis* Nylander, 1848**

*Coelioxys mandibularis* Nylander, 1848: 252; Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Boyarskii, 6.VIII 1977, 3♀ (AL); 32 km W Selenginska, 9.VIII 1984, 1♀ (AL); Kalenovo, 28.VII 1990, 1♀ (TR); Dzhida, 28.VII 2007, 3♀ (AL, MP, VL); Naushki, Selenga River, 30.VII 2007, 1♀ (AL, MP,

VL). **Chitinskaya oblast'**: Tsasuchei, 14.VII 1990, 1♀ (TR); Barun–Torei Lake, 8 km SE Kulustai, 29.VI 1996, 1♀ (Dubatolov, Kosterin); 20 km SSE Krasnokamensk, 4, 6.VIII 2007, 2♂ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Yakutia, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, Kuril Islands (Kunashir), European part. – Europe.

### 32. *Coelioxys (Coelioxys) quadridentata* (Linnaeus, 1758)

*Apis quadridentata* Linnaeus, 1758: 577.

*Coelioxys quadridentata*: Romankova, 1992: 146; 1995: 547; Proshchalykin et al., 2004: 168; Proshchalykin & Kupianskaya, 2005: 14; Proshchalykin, 2006: 323; 2007: 895.

SPECIMENS EXAMINED. **Buryatia**: Temnik River, 12.VI 1961, 1♀; Boyarskii, 7.VIII 1977, 1♀ (AL). **Chitinskaya oblast'**: Tsasuchei, 14.VI 1990, 1♀ (TR); 55 km E Beklemishevki, 20.VII 1990, 1♀ (TR); Chita, 31.V 1994, 1♀ (YP); Titovskaya Mt., 3, 7.VI 1994, 3♀ (YP).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Yakutia, Magadanskaya oblast', Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, European part. – Europe.

### 33. \**Coelioxys (Coelioxys) rufescens* Lepeletier et Serville, 1852

*Coelioxys rufescens* Lepeletier & Serville, 1852: 109.

SPECIMENS EXAMINED. **Chitinskaya oblast'**: 20 km SSE Krasnokamensk, 4, 6.VIII 2007, 6♀, 1♂ (AL, MP, VL).

DISTRIBUTION. Russia: \*Chitinskaya oblast'; Yakutia, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Kuril Islands (Kunashir), European part. – North-Eastern China, Asia Minor, Europe.

### 34. *Megachile (Chalicodoma) desertorum* Morawitz, 1875

*Megachile desertorum* Morawitz, 1875: 104; Romankova, 2003: 2.

SPECIMENS EXAMINED. **Buryatia**: Temnik River, 12.VI 1961, 1♀; Selen-duma, 31.V 2003, 1♀, 20.V 2004, 1♂ (SR).

DISTRIBUTION. Russia: Buryatia; Tuva, European part. – Mongolia, China, Kazakhstan, Turkmenia.

### 35. *Megachile (Eumegachile) bombycina* Radoszkowski, 1874

*Megachile bombycina* Radoszkowski, 1874: 139; Romankova, 1983: 144; 1995: 542; Proshchalykin, 2007: 897.

SPECIMENS EXAMINED. **Buryatia**: Boyarskii, 12.VIII 1984, 1♂ (AL). **Chitinskaya oblast'**: Peschanka, 13.VII 1925, 1♂ (Mikhno).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', European part. – North and Central Asia, Europe.

**36. *Megachile (Eutricharaea) argentata* (Fabricius, 1793)**

*Apis argentata* Fabricius, 1793: 336.

*Megachile argentata*: Romankova, 1984: 144; 1992: 145.

SPECIMENS EXAMINED. **Buryatia**: Ulan-Ude, 26.VII 1990, 1♀ (TR); Gusinoe Lake, Baraty, 25.VII 2007, 6♀, 9♂ (AL, MP, VL); Naushki, Selenga River, 30.VII 2007, 9♀ (AL, MP, VL). **Chitinskaya oblast'**: 55 km E Beklemishevki, 20.VII 1990, 2♀ (TR); Telemba, 10.VI 1991, 1♀ (TR).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – North-Eastern China, Europe, Caucasus, North Africa, North America.

**37. *Megachile (Eutricharaea) rotundata* (Fabricius, 1787)**

*Apis rotundata* Fabricius, 1787: 303.

*Megachile rotundata*: Romankova, 1992: 145.

SPECIMENS EXAMINED. **Buryatia**: Temnik River, 17.VII 1961, 1♂. **Chitinskaya oblast'**: 20 km SSE Krasnokamensk, 4.VIII 2007, 1♀ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Yakutia, Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Mongolia, Europe, North Africa, North and South America, New Zealand, Australia.

**38. *Megachile (Megachile) alpicola* Alfken, 1924**

*Megachile alpicola* Alfken, 1924: 357; Romankova, 1983: 144; 1992: 146; 1995: 541.

*Megachile rubtzovi*: Romankova, 1983: 146.

SPECIMENS EXAMINED. **Buryatia**: Naushki, Selenga River, 30.VII 2007, 1♀ (AL, MP, VL). **Chitinskaya oblast'**: Yablonevyi Ridge, 20.VII 1990, 1♀ (TR); Telemba, 10.VI 1991, 2♀ (TR); Zurmanski Pass, 15.VI 1991, 1♂ (TR).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, South Sakhalin, European part. – Korea, Europe.

**39. *Megachile (Megachile) centuncularis* (Linnaeus, 1758)**

*Apis centuncularis* Linnaeus, 1758: 575.

*Megachile centuncularis*: Romankova, 1983: 144 (Baturino, Makaveyevo, Bal'zinskoe); 1992: 145; 1995: 540; Proshchalykin, 2007: 897.

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Europe, North America.

**40. *Megachile (Megachile) dacica* Mocsáry, 1879**

*Megachile dacica* Mocsáry, 1879: 9; Kokujev, 1927: 75; Romankova, 1983: 147 (Peschanka, Dzhida, Troitskosavsk).

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Buryatia, European part. – Europe.

**41. *Megachile (Megachile) fulvimana* Eversmann, 1852**

*Megachile fulvimana* Eversmann, 1852: 71; Romankova, 1983: 145 (Armak, Troitskosavsk); 1995: 542.

*Megachile baicalica* Kokujev, 1927: 75; Popov, 1946: 106.

SPECIMENS EXAMINED. **Chitinskaya oblast'**: Onon, 19.VI 1947, 1 ♀ (Zhelokhovtsev); Chita, 26.VI 1947, 1 ♀ (Zhelokhovtsev); Tsasuchei, 17.VII 1990, 3 ♀ (TR); Yablonevyi Ridge, 20.VII 1990, 1 ♀ (TR); Telemba, 12.VI 1991, 1 ♀, 1 ♂ (TR); Zurmenskii Pass, 15.VI 1991, 1 ♂ (TR); Daurskii reserve, 29.VI 1996, 1 ♂ (Dubatolov, Kosterin); 20 km SSE Krasnokamensk, 6.VIII 2007, 3 ♂ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Yakutia, Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, Ural, European part. – Mongolia, Kazakhstan, Europe.

**42. *Megachile (Megachile) lapponica* Thomson, 1872**

*Megachile lapponica* Thomson, 1872: 227; Kokujev, 1927: 75; Romankova, 1983: 145; 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Yamarovka, 30.VI 1905, 1 ♂ (Mikhno); Gusinoe Lake, 29.VII 1927, 1 ♂ (Mikhno); Dzhida River, 13.VII 1947, 1 ♂ (Zhelokhovtsev); NE Baikal, Krutaya guba, 10.VII 1954, 1 ♀ (Yur'eva); Nizhneangarsk, 30.VII 1954, 2 ♀ (Popova); Tampuda River, 31.VII 1954, 1 ♀ (Popova); Boyarskii, 11.VIII 1984, 1 ♀ (AL); Ivolginskii datsan, 17.VI 1990, 1 ♀, 2 ♂ (TR); Kalenovo, 28.VII 1990, 1 ♂ (TR); Dzherginskii reserve, 20.VII 1994, 1 ♂ (SR); Maiskii, 23.VII 1995, 1 ♀ (SR). **Chitinskaya oblast'**: Sotui, 16.VII 1958, 2 ♀ (Grunin); Yablonevyi Ridge, 30.VII 1984, 1 ♀ (AL).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast' Irkutskaya oblast'; Yakutia, North Ural, Magadanskaya oblast', Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, Kuril Islands (Kunashir). – Korea, North Europe.

**43. *Megachile (Megachile) maackii* Radoszkowski, 1874**

*Megachile maackii* Radoszkowski, 1874: 135; Romankova, 1992: 146.

SPECIMENS EXAMINED. **Buryatia**: Nizhneangarsk, 19, 27.VII 1954, 2 ♀, 1 ♂ (Popova); Ivolginskii datsan, 17.VI 1991, 1 ♂ (TR).

DISTRIBUTION. Russia: Buryatia, Irkutskaya oblast'; Yakutia, Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Central Asia.

**44. *Megachile (Megachile) melanopyga* Costa, 1863**

*Megachile melanopyga* Costa, 1863: 45; Romankova, 1983: 146; 1992: 146.

SPECIMENS EXAMINED. **Buryatia:** Naushki, 4.VIII 1984, 1♀ (AL).

DISTRIBUTION. Russia: Buryatia, Eastern Siberia, European part. – Japan, Korea, North-Eastern China, Caucasus, Europe.

**45. \**Megachile (Megachile) remota* Smith, 1879**

*Megachile remota* Smith, 1879: 69.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 1♀ (AL, MP, VL); Dzhida, 28.VII 2007, 1♀ (AL, MP, VL).

DISTRIBUTION. Russia: \*Buryatia, Khabarovskii krai, Primorskii krai. Japan (Kyushu), Korea, North-Eastern China.

**46. *Megachile (Megachile) versicolor* Smith, 1844**

*Megachile versicolor* Smith, 1844: 697; Romankova, 1983: 146 (Alkhailoi); 1992: 146; 1995: 541; Proshchalykin, 2007: 897.

SPECIMENS EXAMINED. No specimens examined.

DISTRIBUTION. Russia: Chitinskaya oblast'; Yakutia, Western Siberia, Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Europe.

**47. *Megachile (Xanthosarus) analis* Nylander, 1852**

*Megachile analis* Nylander, 1852: 257; Romankova, 1983: 144; 1992: 145.

SPECIMENS EXAMINED. **Buryatia:** Ivolginskii datsan, 24.VII 1990, 10♀, 4♂ (TR). **Chitinskaya oblast':** Zun-Torei Lake, 3.VII 1988, 1♂ (Kirilyuk); 55 km E Beklemishevki, 20.VII 1990, 1♀, 1♂ (TR); Preobrazhenka, 21.VII 1990, 4♀ (TR).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast', Irkutskaya oblast'; Yakutia, Magadanskaya oblast', Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, North Sakhalin, European part. – North Korea, Turkmenia, Europe.

**48. *Megachile (Xanthosarus) circumcincta lactescens* Cockerell, 1928**

*Megachile circumcincta* var. *lactescens* Cockerell, 1928: 355; Davydova & Pesenko, 2002: 589.

*Megachile circumcincta*: Romankova, 1983: 145.

SPECIMENS EXAMINED. **Buryatia:** Ivolginskii datsan, 17.VI 1991, 1♂ (TR); Naushki, Selenga River, 30.VII 2007, 1♀ (AL, MP, VL).

**Chitinskaya oblast':** Chita, 31.V 1994, 1♂ (YP); Titovskaya Mt., 3.VI 1994, 5♂ (YP); 65 km SE Chita, Kadakhta, 5.VI 1994, 2♂ (YP).

DISTRIBUTION. Russia: Buryatia, Chitinskaya oblast'; Yakutia, Amurskaya oblast'.

**49. \**Megachile (Xanthosarus) lagopoda* (Linnaeus, 1761)**

*Apis lagopoda* Linnaeus, 1761: 422.

SPECIMENS EXAMINED. **Buryatia:** Naushki, 2.VIII 1984, 1♂ (AL); Selenduma, 21.VII 2003, 1♂ (SR); Dzhida, 28.VII 2007, 1♂ (AL, MP, VL). **Chitinskaya oblast':** Nerchinskii Zavod, 14.VIII 1996, 1♀ (Dubatolov, Brinikh); Nizhnii Tsasichei, 18.VIII 1996, 1♂ (Dubatolov); 20 km SSE Krasnokamensk, 6.VIII 2007, 2♂ (AL, MP, VL).

DISTRIBUTION. Russia: \*Buryatia, \*Chitinskaya oblast'; Western Siberia, Khabarovskii krai, Amurskaya oblast', Primorskii krai. – Central Asia, Central and Northern Europe.

**50. *Megachile (Xanthosarus) maritima* (Kirby, 1802)**

*Apis maritima* Kirby, 1802: 242.

*Megachile maritima*: Romankova, 1983: 146.

SPECIMENS EXAMINED. **Buryatia:** Gusinoe Lake, Baraty, 26.VII 2007, 1♂ (AL, MP, VL); Dzhida, 28.VII 2007, 4♀ (AL, MP, VL); Naushki, Selenga River, 30.VII 2007, 4♀, 1♂ (AL, MP, VL).

DISTRIBUTION. Russia: Buryatia; Khabarovskii krai, Amurskaya oblast', Primorskii krai, European part. – Korea, Central Asia, Central and Southern Europe.

**51. *Megachile (Xanthosarus) willoughbiella* (Kirby, 1802)**

*Apis willoughbiella* Kirby, 1802: 233; Romankova, 1983: 146; 1992: 146.

SPECIMENS EXAMINED. **Buryatia:** NE Baikal, Nevyrkuiskii Gulf, 5.VII 1954, 2♂ (Popov); Ivolginskii datsan, 24.VII 1990, 2♀ (TR); Preobrazhenka, 21.VII 1990, 2♀ (TR); Kalenovo, 28.VII 1990, 2♂ (TR). **Chitinskaya oblast':** Zun-Torei Lake, 8.VII 1988, 6♂ (Kirilyuk); Solov'evsk, 17.VII 1988, 1♀ (Kirilyuk); Chita, 19.VII 1990, 6♀ (TR), 31.V–3.VI 1994, 17♀ (YP); 55 km SW Chita, Yablonevyi Ridge, 4.VI 1994, 53 (YP); Tsasichei, 13.VII 1990, 2♀, 2♂ (TR); 20 km SSE Krasnokamensk, 4.VIII 2007, 13♀ (AL, MP, VL).

DISTRIBUTION. Russia: Irkutskaya oblast'; Yakutia, Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast', Primorskii krai, Sakhalin, Kuril Islands (Kurashir), European part. – Japan (Hokkaido, Honshu), Europe.

## PATTERNS OF DIVERSITY

The megachilid fauna of Transbaikalia numbers 51 species in 11 genera. They are collected mainly in the southern part of the region. (Fig. 1). Forty-three species in ten genera are distributed in Buryatia and 33 species in eight genera are in Chi-




Fig. 2. Number of megachilid species distributed in the Transbaikalia and Russian Far East. (Regions: TB – Transbaikalia, CH – Chitinskaya oblast', BU – Buryatia, AM – Amurskaya oblast', KH – Khabarovskii krai, PR – Primorskii krai, SA – Sakhalin, KU – Kuril Islands, KA – Kamchatskii krai, MA – Magadanskaya oblast').

tinskaya oblast' (Fig. 2). There are no endemic species of megachilids in this region. The megachilid fauna of Transbaikalia is very similar with one of the Russian Far East (44 common species). Seven species: *Hoplitis fulva* (Eversmann), *H. princeps* (Morawitz), *Anthidium manicatum* (Linnaeus), *Stelis aculeata* Morawitz, *Coelioxys polycentris* Förster, *Megachile desertorum* Morawitz, and *M. melanopyga* Costa, which are distributed in Transbaikalia are not represented in the fauna of the Russian Far East.

#### ACKNOWLEDGEMENTS

My great thanks are due to Yu.A. Pesenko [ZISP], A.V. Antropov [ZMMU], V.V. Dubatolov [ISEN], S.G. Rudykh [IGBU], and A.G. Kotenko [IZK] curators of the bee collections, for kindly loaned specimens, A.S. Lelej, S.Yu. Storozenko and V.M. Loktionov [IBSS] for help during field survey and collecting of the bees, and A.S. Lelej for advising and critical reading of the manuscript.

#### REFERENCES

- Alfken, J.D. 1924. *Megachile centricularis* L. und ihre Verwandten. – Deutsche entomologische Zeitschrift, 68: 355–360.  
 Banaszak, J. & Romasenko, L. 1998. Megachilid bees of Europe (Hymenoptera, Apoidea, Megachilidae). Bydgoszcz: Pedagogical Univ. Bydgoszcz. 239 p.

- Benoist, R. 1929. Description d'une nouvelle espèce d'Osmie du Japon. – Annales de la Société entomologique de France, 98: 142.
- Cockerell, T.D.A. 1924. Descriptions and records of bees. XCIX. – The Annals and Magazine of Natural History, ser. 9, 13(77): 523–530.
- Cockerell, T.D.A. 1928. Bees collected in Siberia in 1927. – The Annals and Magazine of Natural History, ser. 10, 1: 345–361.
- Costa, A. 1863. Nuovi studii sulla entomologia della Calabria ulteriore. – Atti dell'Accademia nazionale di scienze fisiche e matematiche di Napoli, 1(2): 1–80.
- Davydova, N.G. & Pesenko, Yu.A. 2002. Fauna pchel (Hymenoptera, Apoidea) Yakutii. I. [Bee fauna (Hymenoptera, Apoidea) of Yakutia. I]. – Entomologicheskoe obozrenie, 81(3): 382–599. (In Russian).
- Eversmann, E. 1852. Fauna Hymenopterologica Volgo-Uralensis. – Bulletin de la Imperiale Society d'Naturalistes de Moscou, 25(2): 3–137.
- Fabricius, J.Ch. 1787. Mantissa Insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis, specificis, emendationibus. Hafniae (Proft), 1, 20 + 348 p.
- Fabricius, J.Ch. 1793. Entomologia systematica emendata et aucta, secundum classes, ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. Hafniae (Proft), 2, 8 + 519 p.
- Förster, A. 1853. Eine Centurie neuer hymenopteren. Sechste bis zehnte Decade. – Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens, 10: 266–362.
- Friese, H. 1885. Über einige seltene, zum Theil neue Apiden. – Entomologisches Nachrichtenblatt Berlin, 11: 81–87.
- Gerstäcker, C.E.A. 1869. Beiträge zur näheren Kenntnis einiger Bienen-Gattungen. – Entomologische Zeitung, 30: 315–367.
- Illiger, K. 1806. William Kirbys Familien der bienenartigen Insecten mit Zusätzen, Nachweisungen und Bemerkungen. – Magazin für Insektenkunde, 5: 28–175.
- Kirby, W. 1802. Monographia Apum Angliae. II. Ipswich, 388 p.
- Kokuev, N.R. 1927. Hymenoptera, sobrannye V.V. Sovinskym na beregakh ozera Baikala v 1920 godu [Hymenoptera collected by V. Sovinskij on shore of the Baikal Lake in 1902]. – Trudy Komissii po izucheniyu ozera Baikala. T. 2. Leningrad: AN SSSR: 63–76. (In Russian).
- Latreille, P.A. 1809. Genera Crustaceorum et Insectorum. Paris, T.4. 399 p.
- Lepeletier, A.L.M. 1841. Histoire naturelle des Insectes. Hyménoptères. Vol. 2. Librairie Encyclopédique de Roret, Paris. 680 p.
- Lepeletier, A.L.M. & Serville, A. 1852. Insectes. – In: Encyclopédie méthodique. Histoire naturelle, 10: 1–833.
- Linnaeus, C. 1758. Systema naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. T. I. Editio X. Holmiae, 823 p.
- Linnaeus, C. 1761. Fauna Suecica sistens animalia Sueciae rengi: mammalia, aves, amphibia, pisces, insecta, vermes. Laurentii Salvii, Stockholmiae. 578 p.
- Michener, Ch.D. 2007. The Bees of the World. Baltimore, London: John Hopkins University Press. Second edition. 953 p.
- Mocsáry, A. 1879. Mellifera nova in collectione Musei Nationalis Hungarici. – Természettajzat Füzetek, 3: 8–12.
- Morawitz, F. 1872. Neue suedrussische Bienen. – Horae Societatis Entomologicae Rossicae, 9(1): 45–62.

- Morawitz, F. 1875. Pchely (Mellifera). (I. Apidae genuinae) [Bees (Mellifera). (I. Apidae genuinae)]. – V serii: Puteshestvie v Turkestan A.P. Fedchenko, Moscow, I-II: 1–160.
- Morawitz, F. 1880. Ein Beitrag zur Bienen–Fauna Mittel–Asiens. – Bulletin de l'Academie Impériale des Sciences de St.–Pétersbourg, 26(22/36): 337–389.
- Morawitz, F. 1896. Neue *Anthidium*–Arten. – Horae Societatis Entomologicae Rossicae, 30(1/2): 161–168.
- Nylander, W. 1848. Adnotations in Expositionem Monographicam Apum Borealium. – Notiser ur Sällskapets pro Fauna et Flora Fennica Förhandlingar, 1: 165–282.
- Nylander, W. 1852. Revisio synoptica apum borealium, comparatis speciebus Europae mediae. – Notiser ur Sällskapets pro Fauna et Flora Fennica Förhandlingar, 2: 225–348.
- Panzer, G.W.F. 1798. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Nürnberg, H. 49–60.
- Panzer, G.W.F. 1805. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Nürnberg, H. 85–96.
- Popov, V.B. 1946. Notes on the nomenclature of the bees (Hymenoptera, Apoidea). – Proceedings of the Royal Society of London, Ser. B; Biological Sciences, 15 (9/10): 106–109.
- Popov, V.B. 1964. O rodakh pchel *Trachusa* Panzer i *Trachusomimus* gen. n. (Hymenoptera, Megachilidae) [On the genera *Trachusa* Panzer and *Trachusomimus* gen. n. (Hymenoptera, Megachilidae)]. – Entomologicheskoe obozrenie, 43(2): 403–417.
- Predbaikal'e i Zabaikal'e. Prirodnye usloviya i estestvennye resursy SSSR. 1965. Moscow: Nauka. 492 p. (In Russian).
- Proshchalykin, M.Yu. 2003. The bees (Hymenoptera, Apoidea) of the Kuril Islands. – Far Eastern entomologist, 132: 1–21.
- Proshchalykin, M.Yu. 2006. Pchely roda *Coelioxys* Latreille, 1809 (Hymenoptera, Apoidea, Megachilidae) fauny Dal'nego Vostoka Rossii [Bees of the genus *Coelioxys* Latreille, 1809 (Hymenoptera, Apoidea, Megachilidae) from the Russian Far East]. – Erevianskii entomologicheskii zhurnal, 5(4): 318–324. (In Russian).
- Proshchalykin, M.Yu. 2007. Family Megachilidae. – In: Lelej, A.S., Belokobylskij, S.A., Kasparyan, D.R., Kupianskaya, A.N. & Proshchalykin, M.Yu. (eds.). Opredelitel' nasekomykh Dal'nego Vostoka Rossii [Key to the insects of Russian Far East]. Vol. 4. Neopteroidea, Mecoptera, Hymenoptera. Pt. 5. Vladivostok: Dal'nauka. P. 889–897. (In Russian).
- Proshchalykin, M.Yu., Lelej, A.S. & Kupianskaya, A.N. Fauna pchel (Hymenoptera, Apoidea) ostrova Sakhalin [Bee fauna (Hymenoptera, Apoidea) of Sakhalin Island]. – In: Storozhenko, S.Yu., Bogatov, V.V., Lelej, A.S. & Makarchenko, E.A. (eds.). Flora and fauna of Sakhalin Island. Materials of the International Sakhalin Island Project. Vladivostok: Dalnauka: 154–192. (In Russian).
- Proshchalykin, M.Yu. & Kupianskaya, A.N. 2005. The bees (Hymenoptera, Apoidea) of the northern part of the Russian Far East. – Far Eastern entomologist, 153: 1–39.
- Radoszkowski, O. 1874 (1873). Supplément indispensable à l'article publié par M. Gerstaecker en 1869, sur quelques genres d'Hyménoptères. (Suite et Fin). – Bulletin de la Imperiale Society d'Naturalistes de Moscou, 46(2/3): 132–151.
- Romankova, T.G. 1983. Pchelinye roda *Megachile* Latr. (Hymenoptera, Apoidea, Megachilidae) fauny Sibiri i Dalnego Vostoka SSSR [Bees of the genus *Megachile* Latr. (Hymenoptera, Apoidea, Megachilidae) from Siberia and the Far East of the USSR]. – In: Soboleva, R.G. (ed.). Taxonomy and Ecological–Faunal Survey of Some Insect Orders in the Far East. Vladivostok: 141–147. (In Russian).
- Romankova, T.G. 1984. Pchelinye roda *Osmia* Panz. (Hymenoptera, Megachilidae) fauny Dal'nego Vostoka [Bees of the genus *Osmia* Panz. (Hymenoptera, Megachilidae) in the fauna of the Far East [of the USSR]. – Entomologicheskoe Obozrenie, 53(2): 358–364. (In Russian).

Romankova, T.G. 1992. Bdzholini rodini Megachilidae Zabaikal'ya [Bees of the family Megachilidae in Transbaikalia]. – In: Dolin, V.G. (ed.). The 4th Congress of the Ukrainian Entomological Society (Kharkov, September 1992); Kharkov (Ukrainian Entomological Society): 145–146. (In Ukrainian).

Romankova, T.G. 1994. Novye dannye po faune pchelinykh Sibiri i Dal'nego Vostoka (Hymenoptera, Apoidea, Megachilidae) [New data on the bee fauna of Siberia and the Far East (Hymenoptera, Apoidea, Megachilidae)]. – In: Kotenko, A.G. (ed.). Pereponchatokrylye Sibiri i Dal'nego Vostoka. Vypusk 3. Sbornik nauchnykh trudov zapovednika "Daurskii". Kiev (Institut zoologii Natsional'noi akademii nauk Ukrayny): 119–128. (In Russian).

Romankova, T.G. 1995. Family Megachilidae. – In: Lelej, A.S., Kupianskaya, A.N., Kurzenko, N.V. & Nemkov, P.G. (eds.). Opredelite! nasekomykh Dal'nego Vostoka Rossii [Key to the insects of Russian Far East]. Vol. 4. Neopteroidea, Mecoptera, Hymenoptera. Pt. 1. St. Petersburg: Nauka. P. 530–547. (In Russian).

Romankova, T.G. 2003. Additional data on the bee fauna (Hymenoptera, Apoidea: Megachidae, Apidae) of Siberia and the Russian Far East. – Far Eastern entomologist, 129: 1–6.

Smith, F. 1844. Notes on various Hymenopterous Insects, and descriptions of two new British Bees. – Zoologist, 2: 405–410.

Smith, F. 1879. Descriptions of New Species of Hymenoptera in the collection of the British Museum, London. 240 p.

Thomson, C.G. 1872. Skandinaviens Hymenoptera. – Lund, 2: 1–286.

Zetterstedt, J.W. 1838. Insecta Lapponica descripta. Sectio II. Hymenoptera. Lipsiae (Voss). Apoidea: 315–476.

## SHORT COMMUNICATION

**M. Yu. Proshchalykin. Contribution to the fauna of bees (Hymenoptera, Apoidea, Megachilidae) of the Chukotka. – Far Eastern Entomologist. 2007. N 175: 19-20.**

**М. Ю. Прощалыкин. К фауне пчел (Нименооптера, Апоида, Мегачилиды) Чукотки // Дальневосточный энтомолог. 2007. N 175. С. 19-20.**

The bee fauna of Chukotka represented by eight *Bombus* species [1,3,4] and *Evyllaeus briseis eomontanus* (Ebmer, 2006) [2]. During an examination the material of the bees deposited in the collection of the Zoological Museum, Moscow University, four species of Megachilidae from Central Chukotka were found and identified. These species are newly recorded from this region.

The present investigation has been supported in part by the grant of Far Eastern Branch of Russian Academy of Sciences No 06-III-B-195 and by the grant of the RFBR No 06-04-81008.

### *Hoplitis (Formicapis) robusta* (Nylander, 1848)

MATERIAL. Russia: Chukotka, Balaganchik River, 24.VII 1994, 1♀; 9-14.VI 1995, 2♀ (P. Tomkovich).

DISTRIBUTION. Russia: Chukotka (new record), Magadanskaya oblast', Amurskaya oblast', Yakutia, Irkutskaya oblast', European part. – Mongolia, Europe, North America.

### *Osmia (Melanosmia) nigriventris* (Zetterstedt, 1838)

MATERIAL. Russia: Chukotka, Balaganchik River, 9-18.VI 1995, 1♀, 2♂ (P. Tomkovich).

DISTRIBUTION. Russia: Chukotka (new record), Magadanskaya oblast', Kamchatskii krai, Khabarovskii krai, Amurskaya oblast', Primorskii krai, Yakutia, North Ural, European part. – Europe.

### *Osmia (Melanosmia) maritima* Friese, 1885

MATERIAL. Russia: Chukotka, Balaganchik River, 18.VI 1995, 3♀; 6.VII 1995, 1♀; 24.VII 1995, 2♀; 14-18.VI 1996, 3♀ (P. Tomkovich).

DISTRIBUTION. Russia: Chukotka (new record), Kamchatskii krai, Khabarovskii krai, Primorskii krai, Sakhalin, Yakutia, Chitinskaya oblast', European part. – North and Central Europe.

### *Osmia (Melanosmia) uncinata* Gerstaecker, 1869

MATERIAL. Russia: Chukotka, Balaganchik River, 12.VII 1995, 1♂ (P. Tomkovich).

DISTRIBUTION. Russia: Chukotka (new record), Magadanskaya oblast', Khabarovskii krai, Amurskaya oblast', Primorskii krai, Yakutia, Irkutskaya oblast', European part. – North and Central Europe.

1. Kupianskaya, A.N. 1995. Family Apidae. – In: Lelej, A.S., Kupianskaya, A.N., Kurzenko, N.V. & Nemkov, P.G. (eds.). Opredelitel nasekomykh Dalnego Vostoka Rossii [Key to the insects of Russian Far East]. Vol. 4. Neopteroidea, Mecoptera, Hymenoptera. Pt. 1. St. Petersburg: Nauka. P. 551-580. (In Russian).
2. Pesenko, Yu.A. 2007. Subfamily Halictinae. – In: Lelej, A.S., Belokobylskij, S.A., Kasparyan, D.R., Kupianskaya, & Proshchalykin, M.Yu. (eds.). Opredelitel nasekomykh Dalnego Vostoka Rossii [Key to the insects of Russian Far East]. Vol. 4. Hymenoptera. Neopteroidea, Mecoptera, Hymenoptera. Pt. 5. Vladivostok: Dalnauka. P. 824-878. (In Russian).
3. Proshchalykin, M.Yu. 2007. Family Apidae. – In: Lelej, A.S., Belokobylskij, S.A., Kasparyan, D.R., Kupianskaya, & Proshchalykin, M.Yu. (eds.). Opredelitel nasekomykh Dalnego Vostoka Rossii [Key to the insects of Russian Far East]. Vol. 4. Hymenoptera. Neopteroidea, Mecoptera, Hymenoptera. Pt. 5. Vladivostok: Dalnauka. P. 897-908. (In Russian).
4. Proshchalykin, M.Yu., Kupianskaya, A.N. 2005. The bees (Hymenoptera, Apoidea) of the northern part of the Russian Far East. – Far Eastern Entomologist, 153: 1-39.

Author's address:

Institute of Biology and Soil Science, FEB RAS,  
Vladivostok-22, 690022, Russia

---

© **Far Eastern entomologist (Far East. entomol.)** Journal published since October 1994.

Editor-in-Chief: S.Yu. Storozhenko

Editorial Board: A.S. Lelej, V.S. Sidorenko, N.V. Kurzenko

Address: Institute of Biology and Soil Science, Far East Branch of Russian Academy of Sciences, 690022, Vladivostok-22, Russia.

E-mail: entomol@ibss.dvo.ru FAX: (4232) 310 193